


Balance charge 4xLiPo batteries at the same time simultaneously

4 Independent output can charge 4 batteries at the same time

Max. 100W/5A charge on each channel



4 Channel Intelligent Balance Charger

Dedicated design for FPV.4CH independent output, support 3-4S LiPo Battery









Applicable to the mainstream FPV batteries,4CH independent output which can charge 4 LiPo batteries at the same time. equipped with LED indicator and buttons,Max. 100W/5A charging for each channel.





More wider range of application

Not only for FPV batteries, but also for the common 3S/4S LiPo batteries which is used for other RC models or drones.



Built-in strong convection cooling fan

With built-in strong convection cooling fan, internal air duct design, cooling slots on the bottom and sides, make sure the charger always in safe temperature and low noise





Multiple protection, safer using

e5 conform to national safety standards, built-in intelligent safeguard protection system. Not only protect the charger but also pretend the battery bubbling or expansion during charging.





over current protection



over voltage protection



leakage protection



short circuit protection



over temperature protection



reverse protection

3 Different charging current optional

In order to charge the batteries at safety C rate, E5 provides 3 different charging current for user's setting.user can set the current by the cambered button.









5A charge





DC Input meets the demand of outdoor use

e5 accepts a power supply of 11-32V output, and vehicle power or battery pack as well, meets user's demand of outdoor use, never worry about no battery can be used any more when play in the field.




Excellent material anti-flaming and falling-resistant

The shell made from PC anti-flaming material, fireproof and higher temperature resistant Lighter and stronger, shell never fade, doll polish technology scratch resistant









high temperature resistant



falling-resistant

Specification

DC Input: 11V-32.0V Charge power: 200W Charge current: 2A/3A/5A Battery type: LiPo Battery cell count: 3S-4S Charge Instructions: LED light Charge mode: Balance Charge 500mA/cells Balance current: Dimension: 126x126x42mm Weight: 400g





Safe technology, use at ease

Strict manufacture and assembling technology, structural design use seamless connection



Portable design, weighting only 400g

Supports charging 4 batteries at the same time, but weights only 400g



Small and light, easy to carry

Compact design for outside easy carrying



iPhone 7Plus 158.2x77.9x7.3mm



126×126×42mm

Anti-skid rubber pad, more stable

Installed antiskid rubber pad on bottom, make sure charger placed stable and not easy to slide, prevent desk or car surface be scratched



Standard parts list

Charger, DC input cable, manual, gift box







DC input cable(XT60-XT30)x1