



Item NO.	(V)	Prop	Throttle	(A)	(W)	(g)	RPM	(g/W)	temperature(°C)
IN2204 V1400	11.1	T-MOTOR 5*3CF	50%	1.1	12	91	9500	7.45	18
			65%	1.4	16	112	10200	7.21	
			75%	1.6	18	125	11000	7.04	
			85%	2	22	155	12000	6.98	
			100%	2.3	26	175	12800	6.85	
		T-MOTOR 6*2CF	50%	1.3	14	121	8650	8.39	24
			65%	1.6	18	146	9600	8.22	
			75%	2	22	177	10400	7.97	
			85%	2.5	28	218	11400	7.86	
			100%	3	33	253	12300	7.60	
		T-MOTOR 7*2.4CF	50%	1.7	19	153	7400	8.11	30
			65%	2.4	27	208	8400	7.81	
			75%	3.1	34	260	9300	7.56	
			85%	4.1	46	318	10200	6.99	
			100%	4.8	53	357	10800	6.70	
		T-MOTOR 8*2.7CF	50%	2.1	23	186	6300	7.98	55
			65%	3.3	37	270	7400	7.37	
			75%	4.2	47	330	8300	7.08	
			85%	5.5	61	393	8800	6.44	
			100%	6.6	73	432	9200	5.90	

Notes: The test condition of temperature is motor surface temperature in 100% throttle while the motor run 10 mi

Item No.	Volts (V)	Prop	Throttle	Amps (A)	Watts (W)	Thrust (g)	RPM	Efficiency (g/W)	temperature (°C)
MN2204 QV2300	7.4	T-MOTOR 6*2CF	50%	1.4	10	87	8000	8.40	34
			65%	2.2	16	124	9450	7.62	
			75%	3	22	160	10500	7.21	
			85%	4	30	201	12000	6.79	
			100%	5.7	42	257	13400	6.09	
		T-MOTOR 7*2.4CF	50%	1.7	13	125	6800	9.94	41
			65%	3.2	24	200	8500	8.45	
			75%	4.4	33	249	9500	7.65	
			85%	5.8	43	303	10500	7.06	
			100%	8	59	377	11600	6.37	
	11.1	T-MOTOR 5*3CF	50%	2.1	23	119	11600	5.11	38
			65%	3.4	38	170	13700	4.50	
			75%	4.8	53	217	15300	4.07	
			85%	6.5	72	265	17000	3.67	
			100%	9	100	332	18900	3.32	
		T-MOTOR 6*2CF	50%	2.3	26	169	10700	6.62	44
			65%	3.9	43	248	13600	5.73	
			75%	5.4	60	316	14500	5.27	
			85%	7.2	80	388	16600	4.85	
			100%	10.2	113	494	18300	4.36	

Notes: The test condition of temperature is motor surface temperature in 100% throttle while the motor runs 10 min.

NEW



1. Included 4MM prop adapter can directly support installation of M4 screw propeller.



2. Included carbon fiber prop cover can match with CF prop. It can perfectly support T-Motor 5, 6, 7 inch CF prop.









Z-MOTOR
HIGH PERFORMANCE BRUSHLESS MOTORS





7-MOTOR
HIGH PERFORMANCE BRUSHLESS MOTORS



T-MOTOR
HIGH PERFORMANCE BRUSHLESS MOTORS