
NITRO SLASH

Rear Assembly




See Parts List for a complete listing of optional accessories.

REV 160921-R03

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

Transmission Assembly




See Parts List for a complete listing of optional accessories.


REV 160921-R03

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

Wheel and Tire Chart



Traxxas SCT Wheels



Split Spoke Wheels

Wheels*		Traxxas SCT Tires with Foam Inserts		BFGoodrich® Mud Terrain™ T/A® Tires with Foam Inserts		Kumho Road Venture MT tires with Foam Inserts	
		5871	*S1 Ultra-Soft Racing Compound* **5871R**	**6871**	*S1 Ultra-Soft Racing Compound* **6871R**	**6870**	*S1 Ultra-Soft Racing Compound* **6870R**
		Assembled Wheels and Tires		Assembled Wheels and Tires		Assembled Wheels and Tires	
Satin Beadlock/ Satin Wheel - Slash Rear or Slash 4X4 Front/Rear	5872	5873†	-	-	-	-	-
Satin Beadlock/ Satin Wheel - Slash Front	5874	5875	-	-	-	-	-
Red Beadlock/ Satin Wheel - Slash Rear or Slash 4X4 Front/Rear	5872A	5873A	5873R	-	-	-	-
Red Beadlock/ Satin Wheel - Slash Front	5874A	5875A	5875R	-	-	-	-
Black Beadlock/ Satin Wheel - Slash Rear or Slash 4X4 Front/Rear	5872X	5873X	-	5878	-	5880	-
Black Beadlock/ Satin Wheel - Slash Front	5874X	5875X	-	5879	-	5881	-
Red Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear	5868	-	-	5867	-	-	-
Red Beadlock/ Chrome Wheel - Slash Front	5870	-	-	5869	-	-	-
Green Beadlock/ Chrome Wheel - Slash Front	5866	-	-	5865	-	-	-
Green Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear	6875	-	-	6876	-	-	-
Orange Beadlock/ Black Wheel - Slash Front	5870X	5864	-	-	-	-	-
Orange Beadlock/ Black Wheel -Slash Rear or Slash 4X4 Front/Rear	5868X	5863†	-	-	-	-	-
Black Beadlock/ Satin Wheel - Slash Rear or Slash 4X4 Front/Rear	6872	-	-	6873†	6873X	6874	6874R
Black Beadlock/ Satin Wheel - Slash Front	5876	-	-	5877	-	5882	5882R
Red Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear	6872A	-	-	6873A	6873R	-	-
Red Beadlock/ Chrome Wheel - Slash Front	5876A	-	-	5877A	5877R	-	-
Green Beadlock/ Chrome Wheel - Slash Rear or Slash 4X4 Front/Rear Front	6872X	-	-	-	-	-	-
Satin Beadlock/ Black Wheel - Slash Front	5886	-	-	5885	-	-	-
Satin Beadlock/ BlackWheel - Slash Rear or Slash 4X4 Front/Rear	5884	-	-	5883	-	-	-
Blue Beadlock/ Black Wheel - Slash Front	5886A	-	-	5885A	-	-	-
Blue Beadlock/ Black Wheel - Slash Rear or Slash 4X4 Front/Rear	5884A	-	-	5883A	-	-	-

* Wheels and/or tires sold in pairs
†TSM rated

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing, however Traxxas cannot be held responsible for typographical or other errors. See Parts List for a complete listing of optional accessories.


BFGoodrich® Tires Trademarks are used under license from Michelin Group Companies.

REV 160921-R03

TRAXXAS Vehicle Steering Servo Upgrade Chart

Traxxas Vehicle	Traxxas Std Steering Servo	Traxxas Metal Gear Conversion	Traxxas Option Servo #1	Traxxas Option Servo #2	Savöx Option Servo #1	Savöx Option Servo #2	Notes
Bandit XL5	2056 (5.76kg/cm - 0.23s) PG	–	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0230MG** (6.5kg/cm - 0.16s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	
Bandit VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Rustler XL5	2056 (5.76kg/cm - 0.23s) PG	–	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0230MG** (6.5kg/cm - 0.16s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	
Rustler VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Stampede XL5 (+Bigfoot)	2056 (5.76kg/cm - 0.23s) PG	–	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0230MG** (6.5kg/cm - 0.16s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	
Stampede VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Slash XL5 (+ Ford Raptor)	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Slash VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Drag Slash VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Rustler 4x4 XL5	2056 (5.76kg/cm - 0.23s) PG	–	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0230MG** (6.5kg/cm - 0.16s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	
Rustler 4x4 VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2255** (28.8kg/cm - 0.15s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Stampede 4x4 XL5	2056 (5.76kg/cm - 0.23s) PG	–	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0230MG** (6.5kg/cm - 0.16s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	
Stampede 4x4 VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2255** (28.8kg/cm - 0.15s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Hoss 4x4 VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2250** (23.8kg/cm - 0.19s) MG	**2255** (28.8kg/cm - 0.15s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	**SAV-SA1230SG** (36kg/cm - 0.16s) SG	
Maxx 4x4 VXL	2090 (no specs available) PG	–	**2085X** (26.3kg/cm - 0.17s) MG*	**2255** (28.8kg/cm - 0.15s) MG*	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	**SAV-SA1230SG** (36kg/cm - 0.16s) SG*	*Use with: Traxxas 7749 Servo Holder
Slash 4x4 XL5 (+ Rally XL5)	2056 (5.76kg/cm - 0.23s) PG	–	**2075X** (9kg/cm - 0.17s) MG	**2255** (28.8kg/cm - 0.15s) MG	**SAV-SW0230MG** (6.5kg/cm - 0.16s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	
Slash 4x4 VXL	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Slash 4x4 Ultimate	2075R (High-speed) MG	–	**2250** (23.8kg/cm - 0.19s) MG	**2255** 28.8kg/cm - 0.15s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Summit 1/10	2075 (9kg/cm - 0.17s) PG (2)	2072X	**2250** (23.8kg/cm - 0.19s) MG*	**2255** 28.8kg/cm - 0.15s) MG*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	*Only one servo is needed
TRX-4	2075X (9kg/cm - 0.17s) MG	–	**2255** (28.8kg/cm - 0.15s) MG, 2-3s LiPo*	**2250** (23.8kg/cm - 0.19s) MG, Up to 2s LiPo*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG*	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	*Use with Traxxas 2262 HD BEC
TRX-4 with TRAXX	2075X (9kg/cm - 0.17s) MG	–	**2255** (28.8kg/cm - 0.15s) MG, 2-3s LiPo*	**2250** (23.8kg/cm - 0.19s) MG, Up to 2s LiPo*	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	**SAV-SA1230SG** (36kg/cm - 0.16s) SG*	*Use with Traxxas 2262 HD BEC
TRX-6	2075X (9kg/cm - 0.17s) MG	–	**2255** (28.8kg/cm - 0.15s) MG, 2-3s LiPo*	**2250** (23.8kg/cm - 0.19s) MG, Up to 2s LiPo*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG*	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	*Use with Traxxas 2262 HD BEC
UDR	2075R (High-speed) MG	–	**2250** (23.8kg/cm - 0.19s) MG	**2255** (28.8kg/cm - 0.15s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	**SAV-SA1230SG** (36kg/cm - 0.16s) SG	
E-Revo VXL	2075 (9kg/cm - 0.17s) PG (2)	2072X	**2075X** (9kg/cm - 0.17s) MG	**2255** (28.8kg/cm - 0.15s) MG*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SA1230SG** (36kg/cm - 0.16s) SG*	*Only one servo is needed
X-Maxx 8s	2085 (26.3kg/cm - 0.17s) PG	2087X	**2085X** (26.3kg/cm - 0.17s) MG*	**2255** (28.8kg/cm - 0.15s) MG*	**SAV-SA1230SG** (36kg/cm - 0.16s) SG*	**SAV-SB2290SG** (40kg/cm - 0.16s) SG*	*Use with: Traxxas 7749 Servo Holder
4-TEC 2.0/3.0	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
XO-1	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2255** (28.8kg/cm - 0.15s) MG	**SAV-SW0231MG** (15kg/cm - 0.17s) MG	**SAV-SW1210SG** (20kg/cm - 0.15s) SG	
Nitro Slash (+ Nitro Rustler)	2055 (9kg/cm - 0.20s) PG	–	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG*	**SAV-SW0230MG** (6.5kg/cm - 0.16s) MG*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG*	*Use with 5-cell NiMH Receiver Battery
Slayer Pro 4x4	2075 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2255** (28.8kg/cm - 0.15s) MG*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG*	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	*Use with 5-cell NiMH Receiver Battery
Jato 3.3	2055 (9kg/cm - 0.20s) PG	–	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG*	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	*Use with 5-cell NiMH Receiver Battery
T-Maxx 3.3	2070 (9kg/cm - 0.17s) PG	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG*	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	*Use with 5-cell NiMH Receiver Battery
Revo 3.3	2075 (9kg/cm - 0.17s) PG (2)	2072X	**2075X** (9kg/cm - 0.17s) MG	**2250** (23.8kg/cm - 0.19s) MG*	**SAV-SW0231MG** (15kg/cm - 0.17s) MG*	**SAV-SW1210SG** (20kg/cm - 0.15s) SG*	*Use with 5-cell NiMH Receiver Battery
1/16 Slash 4x4	2080 (3kg/cm - 0.11s) PG	–	**2080X** (3kg/cm - 0.11s) MG	–	**SAV-SW0250MG** (5kg/cm - 0.11s) MG	–	
1/16 E-Revo 4x4 XL3/VXL	2080 (3kg/cm - 0.11s) PG	–	**2080X** (3kg/cm - 0.11s) MG	–	**SAV-SW0250MG** (5kg/cm - 0.11s) MG	–	
1/16 Summit	2080 (3kg/cm - 0.11s) PG	–	**2080X** (3kg/cm - 0.11s) MG	–	**SAV-SW0250MG** (5kg/cm - 0.11s) MG	–	
1/18 Teton (LaTrax)	2065 (2.3kg/cm - 0.20s) PG	–	**2065X** (2.3kg/cm - 0.20s) MG	–	–	–	
1/18 Rally (LaTrax)	2065 (2.3kg/cm - 0.20s) PG	–	**2065X** (2.3kg/cm - 0.20s) MG	–	–	–	
1/18 Prerunner/SST (LaTrax)	2065 (2.3kg/cm - 0.20s) PG	–	**2065X** (2.3kg/cm - 0.20s) MG	–	–	–	

Distributed by: Minicars Hobby Distribution AB | Annelundsgatan 17C | 749 40 Enköping | Sweden | B2B: www.minicars.se | e-mail: info@minicars.se | Phone: +46-171-143000
Version: 2021-05-31



Chassis Assembly


NITRO SLASH

REV 160921-R03

See Parts List for a complete listing of optional accessories.

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

Front Assembly



*Use only with Dodge Replica Short-Course Body (Part #6833, 6885, 6887)

REV 160921-R03

Specifications on this page are subject to change without notice. Every attempt has been made to ensure the accuracy of this drawing; however, Traxxas cannot be held responsible for typographical or other errors.

See Parts List for a complete listing of optional accessories.