






Motor Type 电机型号	Voltage 电压 (V)	Propeller 桨尺寸	Current 电流 (A)	Thrust 推力 (G)	Power 功率 (W)	Efficiency 效率	Speed 转速 (RPM)
RS2306 2400KV	12	GF5050 Tri-blade 三叶桨	1.1	75	13.20	5.68	6250
			3.1	177	37.20	4.76	9400
			5.1	262	61.20	4.28	11160
			7.1	332	85.20	3.90	12440
			9.1	410	109.20	3.75	13810
			11.1	472	133.20	3.54	14840
			13.1	540	157.20	3.44	15900
			15.1	604	181.20	3.33	16710
			17.2	660	206.40	3.20	17550
			19.1	719	229.20	3.14	18330
			21.1	770	253.20	3.04	19080
			23.1	825	277.20	2.98	19830
			25.1	870	301.20	2.89	20580
			27.1	925	325.20	2.84	21090
			29	958	348.00	2.75	21470
			30.1	984	361.20	2.72	21780
		T5045 Tri-blade 三叶桨	1	71	12.00	5.92	6320
			3.1	182	37.20	4.89	9950
			5.1	271	61.20	4.43	12080
			7.1	357	85.20	4.19	13850
			9.1	425	109.20	3.89	15170
			11.1	496	133.20	3.72	16350
			13.1	562	157.20	3.58	17440
			15.1	629	181.20	3.47	18490
			17.1	693	205.20	3.38	19330
			19.1	755	229.20	3.29	20210
			21.1	816	253.20	3.22	20950
			23.1	865	277.20	3.12	21550
			25.9	922	310.80	2.97	22380
		HQ5045 二叶桨	1	60	12.00	5.00	6450
			3.1	161	37.20	4.33	10100
			5.1	245	61.20	4.00	12150
			7.1	321	85.20	3.77	13680
			9.1	388	109.20	3.55	15060
			11.1	448	133.20	3.36	16350
			13.1	512	157.20	3.26	17370
			15.1	575	181.20	3.17	18350
			17.1	630	205.20	3.07	19200
			19.1	686	229.20	2.99	20010
			21.1	742	253.20	2.93	20640
			23.1	786	277.20	2.84	21360
			25.2	828	302.40	2.74	22080
			26.4	849	316.80	2.68	22430
	16	GF5050 Tri-blade 三叶桨	1	98	16.00	6.13	6710
			3.1	214	49.60	4.31	10210
			5.1	319	81.60	3.91	12240
			7.1	404	113.60	3.56	13780
			9.1	481	145.60	3.30	14960
			11.1	550	177.60	3.10	15940
			13.1	619	209.60	2.95	16950
			15.1	687	241.60	2.84	17800
			17.1	745	273.60	2.72	18670
			19.2	811	307.20	2.64	19610
			21.2	875	339.20	2.58	20400
			22.8	934	364.80	2.56	21120
			25.1	989	401.60	2.46	21830
			27.1	1044	433.60	2.41	22570
			29.3	1100	468.80	2.35	23040
			31.1	1154	497.60	2.32	23460
			33.1	1208	529.60	2.28	23950
			35.1	1259	561.60	2.24	24480
			37	1316	592.00	2.22	24970
			39.2	1365	627.20	2.18	25300
			41.2	1418	659.20	2.15	25820
			43.1	1475	689.60	2.14	26280
			45.2	1528	723.20	2.11	26660
			46.4	1552	742.40	2.09	26880
		T5045 Tri-blade 三叶桨	1.1	96	17.60	5.45	7130
			3.1	236	49.60	4.76	11250
			5.1	332	81.60	4.07	13310
			7.1	418	113.60	3.68	15110
			9.1	501	145.60	3.44	16250
			11.1	586	177.60	3.30	17530
			13.1	656	209.60	3.13	18630
			15.1	726	241.60	3.00	19780
			17.2	802	275.20	2.91	20720
			19.1	868	305.60	2.84	21740
			21.1	926	337.60	2.74	22350
			23.1	985	369.60	2.67	22830
			25.2	1052	403.20	2.61	23350
			27.1	1117	433.60	2.58	24070
			29.1	1175	465.60	2.52	24760
			31.1	1226	497.60	2.46	25400
			33	1268	528.00	2.40	26070
			35	1312	560.00	2.34	26530
			37	1358	592.00	2.29	26930
			39.1	1396	625.60	2.23	27380
			41.2	1428	659.20	2.17	27780
		HQ5045 二叶桨	1.1	86	17.60	4.89	7510
			3.1	216	49.60	4.35	11620
			5.1	319	81.60	3.91	14080
			7.1	396	113.60	3.49	15810
			9.1	470	145.60	3.23	17190
			11.1	537	177.60	3.02	18460
			13.1	605	209.60	2.89	19540
			15.1	667	241.60	2.76	20540
			17.1	719	273.60	2.63	21490
			19.1	781	305.60	2.56	22210
			21.1	839	337.60	2.49	23090
			23.1	885	369.60	2.39	23810
			25.1	947	401.60	2.36	24670
			27.1	981	433.60	2.26	25400
			29.1	1032	465.60	2.22	25890
			31.1	1084	497.60	2.18	26320
			33.2	1133	531.20	2.13	26830
			35.1	1188	561.60	2.12	27350
			37.2	1238	595.20	2.08	27910
			39	1287	624.00	2.06	28200
			40.4	1323	646.40	2.05	28320

EMAX



RS2306
2400KV & 2750KV

