







	NO LOAD		ON LOAD				LOAD TYPE
VOLTAGE	CURRENT	SPEED	CURRENT	Pull	Power	EEP	Battery/prop
V	A	rpm	A	g	W	%	
12	1.1	27600	2.9	200	34.8	5.7	LiPoX3/5X4X3
			7.9	400	94.8	4.2	
			15	660	180.0	3.7	
			3.1	200	37.2	5.4	LiPoX3/5X4X4
			7.6	400	91.2	4.4	
			16.8	720	201.6	3.6	
			3.4	200	40.8	4.9	LiPoX3/5X4.5X3
			8.9	400	106.8	3.7	
			22.3	800	267.6	3.0	
			3.3	200	39.6	5.1	LiPoX3/5045
			7.9	400	94.8	4.2	
			13.6	620	163.2	3.8	
			4.4	300	52.8	5.7	LiPoX3/6045
			10.9	600	130.8	4.6	
			21.8	960	261.6	3.7	
16	1.2	36800	4.3	300	68.8	4.4	LiPoX4/5X4X3
			10.9	600	174.4	3.4	
			22.7	1030	363.2	2.8	
			4.4	300	70.4	4.3	LiPoX4/5X4X4
			11.4	600	182.4	3.3	
			24.6	1050	393.6	2.7	
			6.7	400	107.2	3.7	LiPoX4/5X4.5X3
			20.5	800	328.0	2.4	
			31.7	1150	507.2	2.3	
			4.4	300	70.4	4.3	LiPoX4/5045
			10.9	600	174.4	3.4	
			20.0	960	320.0	3.0	
			5.2	400	83.2	4.8	LiPoX3/6045
			14.5	800	232.0	3.4	
			30.9	1450	494.4	2.9	









