












MOTOR TECHNICAL DATA:

	NO LOAD		ON LOAD				LOAD TYPE
VOLTAGE	CURRENT	SPEED	CURRENT	Pull	Power	EEP	Battery/prop
V	A	rpm	A	g	W	%	
12	1.3	27600	5.1	200	61.2	3.3	LiPox3/4045x3
			12.7	400	152.4	2.6	
			18.2	530	218.4	2.4	
			5.4	250	64.8	3.9	LiPox3/5045x3
			13.7	500	164.4	3.0	
			25.8	760	309.6	2.5	
			3.7	200	44.4	4.5	LiPox3/5040x3
			9	400	108.0	3.7	
			17.2	660	206.4	3.2	
			5.1	200	61.2	3.3	LiPox3/5040x4
			11.3	400	135.6	2.9	
			21.2	650	254.4	2.6	
			5.1	200	61.2	3.3	LiPox3/5045
			11.4	400	136.8	2.9	
			17.1	580	205.2	2.8	
16	1.4	36800	6.9	300	110.4	2.7	LiPox4/4045x3
			18.1	600	289.6	2.1	
			27.1	820	433.6	1.9	
			8.4	400	134.4	3.0	LiPox4/5045x3
			23.4	800	374.4	2.1	
			36.2	1100	579.2	1.9	
			4.6	250	73.6	3.4	LiPox4/5040x3
			18.5	500	296.0	1.7	
			29.2	760	467.2	1.6	
			6.1	300	97.6	3.1	LiPox4/5040x4
			14.6	600	233.6	2.6	
			30.3	970	484.8	2.0	
			7.0	300	112.0	2.7	LiPox4/5045
			14.6	600	233.6	2.6	
			23.6	940	377.6	2.5	