



RunCam Micro Swift 3

Built-in Remote Control

M12 Lens CCD FPV camera









THROW AWAY YOUR MENU CABLE

CONTROL YOUR MICRO SWIFT 3 REMOTELY

MICRO SIZE BODY REGULAR SIZE LENS



Dimensions











Package



1x Camera



1x Aluminum bracket



1x Set of screws



1x 6pin FPV silicone cable



1x Manual

1. Flight controller wiring

Note: Take UART3 for example



2. Betaflight 3.3 or above setting

Identifier	Configuration/MS	Serial Rx	Telemetry Output	Sensor Input	Peripherals
USB VCP	☒ 115200 ▾	☐	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾
UART1	☐ 115200 ▾	☐	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾
UART2	☐ 115200 ▾	☒	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾	RunCam Device ▾ AUTO ▾
UART3	☐ 115200 ▾	☐	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾	RunCam Device ▾ AUTO ▾
UART4	☐ 115200 ▾	☐	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾
UART5	☐ 115200 ▾	☐	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾	Disabled ▾ AUTO ▾

