

Bandit® (Model 24254-8) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

| | Bearings & Bushings | 3728 | Lower chassis (black) (166mm long battery compartment) (fits |
|---------------|---|--------------------------|---|
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) | 3722X | both flat and hump style battery packs) Lower chassis (black) (166mm long battery compartment) (fits |
| 5114 | Ball bearings, blue rubber shield (5x8x2.5mm) (2) | JIZZX | both flat and hump style battery packs)(use only with #3725R |
| 2545 | Bushings (plastic) (5x8x2.5mm) (4) | | ESC mounting plate) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) | 3728A | Lower chassis (gray) (166mm long battery compartment) (fits both fla |
| | Body & Accessories | 27250 | and hump style battery packs) |
| 1926 | Antenna caps, vinyl (2)/ antenna spool | 3725R | Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®) |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) | 3629 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 1834 | Body Clips (12) (standard size) | 9462X | Side plates, wheelie bar, blue (aluminum) (2) |
| 1815 | Body washers (8) | 9462 | Side plates, wheelie bar, charcoal gray (aluminum) (2) |
| 6716 | Body Washers, Foam, 2mm/3mm/4mm | 9462G | Side plates, wheelie bar, green (aluminum) (2) |
| 2417 | Body, Bandit (front & rear) (clear, requires painting)/ window, | 9462A | Side plates, wheelie bar, orange (aluminum) (2) |
| 2449 | lights, grille decal sheet Body, Bandit, Hawaiian graphics (painted, decals applied) | 9462P | Side plates, wheelie bar, pink (aluminum) (2) |
| 2433 | Body, Bandit, pink (painted, decals applied) | 9462R | Side plates, wheelie bar, red (aluminum) (2) |
| 2420 | Body, Bandit, ProGraphix® (replacement for the painted body. | 5185 | Tires, rubber (2) (fits Traxxas® wheelie bar wheels) |
| | Graphics are printed, requires paint & final color application)/ | 3729-BLK | Upper chassis (black) |
| | decal sheet | 3729-GRAY 4974 | Upper chassis (gray) Wheelia Bar arm (1)/ connector (1)/ 3×12 SS (how drive) (1) |
| 2448 | Body, Bandit, Rock n' Roll (painted, decals applied) | 3677X | Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (blue) |
| 2450 | Body, Bandit® (also fits Bandit® VXL), black & red/ wing | 3677A | Wheelie bar mount (1) / hardware (green) |
| 04507 | (painted, decals applied) | 3677P | Wheelie bar mount (1) / hardware (pink) |
| 2450X | Body, Bandit® (also fits Bandit® VXL), green/ wing (painted, decals applied) | 3677 | Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit |
| 2450T | Body, Bandit® (also fits Bandit® VXL), orange/ wing (painted, | | series) |
| 24001 | decals applied) | 9464 | Wheelie bar mount (heavy duty) |
| 2450L | Body, Bandit®, ProGraphix®/ wing (graphics are printed, | 2477 | Wheelie bar mount/ 3x40 BCS (1)/ 3x30 BCS (1)/ 3x12 BCS (1) (for |
| | requires paint & final color application)/ decal sheet | | LED light kit installation) |
| 2514 | Decal sheet, racing sponsors | 3678 | Wheelie bar, assembled (black) (fits Slash®, Stampede®, |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) | 3678X | Rustler®, Bandit® series) Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) | 30707 | series) |
| 5185 | Tires, rubber (2) (fits Traxxas® wheelie bar wheels) | 3678A | Wheelie bar, assembled (green) (fits Slash®, Stampede®, |
| 4974 3677X | Wheelie Bar arm (1)/ connector (1)/ 3x12 SS (hex drive) (4) Wheelie bar mount (1) / hardware (blue) | | Rustler®, Bandit® series) |
| 3677A | Wheelie bar mount (1) / hardware (green) | 3678T | Wheelie bar, assembled (orange) (fits Slash®, Stampede®, |
| 3677P | Wheelie bar mount (1) / hardware (pink) | | Rustler®, Bandit® series) |
| 3677 | Wheelie bar mount (1)/ hardware (Stampede®, Rustler®, Bandit | 3678P | Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, |
| | series) | 3678R | Bandit series) Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, |
| 3678 | Wheelie bar, assembled (black) (fits Slash®, Stampede®, | 30701 | Bandit® series) |
| | Rustler®, Bandit® series) | 9460 | Wheelie bar, black (assembled)/ wheelie bar mount |
| 3678X | Wheelie bar, assembled (blue) (fits Stampede®, Rustler®, Bandit | 9460X | Wheelie bar, black chrome (assembled)/ wheelie bar mount |
| 3678A | series) Wheelie bar, assembled (green) (fits Slash®, Stampede®, | 4976 | Wheels (4)/ Axles (2), for Maxx® Wheelie Bar |
| 3010A | Rustler®, Bandit® series) | 5186A | Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ |
| 3678T | Wheelie bar, assembled (orange) (fits Slash®, Stampede®, | | axles (2)/ rubber tires (2) |
| | Rustler®, Bandit® series) | 5186 | Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ |
| 3678P | Wheelie bar, assembled (pink) (fits Slash, Stampede®, Rustler®, | 9461X | axles (2)/ rubber tires (2) Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ |
| | Bandit series) | 340 IX | 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) |
| 3678R | Wheelie bar, assembled (red) (fits Slash®, Stampede®, Rustler®, | 9461T | Wheels, wheelie bar, 6061-T6 aluminum (gray-anodized) (2)/ |
| 4976 | Bandit® series) Wheels (4)/ Axles (2), for Maxx® Wheelie Bar | | 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) |
| 5186A | Wheels, aluminum (blue-anodized) (2)/ 5x8mm ball bearings (4)/ | 9461G | Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ |
| 01004 | axles (2)/ rubber tires (2) | | 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) |
| 5186 | Wheels, aluminum (red-anodized) (2)/ 5x8mm ball bearings (4)/ | 9461A | Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ |
| | axles (2)/ rubber tires (2) | 9461P | 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) Wheels, wheelie bar, 6061-T6 aluminum (pink-anodized) (2)/ |
| 2615 | Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) | 340 IP | 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) |
| 2414 | Wing wire | 9461R | Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ |
| | Chassis & Attachments | | 5x8x2.5mm ball bearings (4)/ o-rings (2)/ 5x8x0.3mm TW (2) |
| 9463X | Axle, wheelie bar, 6061-T6 aluminum (blue-anodized) (1)/ 3x12 | 9461 | Wheels, wheelie bar, black (26mm (2), 18mm (2)) |
| | BCS (with threadlock) (2) | | Differential Components |
| 9463 | Axle, wheelie bar, 6061-T6 aluminum (gray-anodized) (1)/ 3x12 | 2380 | Differential, complete (fits 1/10-scale 2WD Rustler®, Bandit, |
| | BCS (with threadlock) (2) | 2000 | Stampede®, Slash®) |
| 9463G | Axle, wheelie bar, 6061-T6 aluminum (green-anodized) (1)/ 3x12 | 2381X | Main diff with steel ring gear/ side cover plate/ screws (Bandit, |
| 9463A | BCS (with threadlock) (2) Axle, wheelie bar, 6061-T6 aluminum (orange-anodized) (1)/ 3x12 | | Stampede®, Rustler®) |
| J-100A | BCS (with threadlock) (2) | 2382 | Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment |
| 9463P | Axle, wheelie bar, 6061-T6 aluminum (pink-anodized) (1)/ 3x12 | 22024 | shaft (1) all hardened steel |
| | BCS (with threadlock) (2) | 2388X | Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) |
| 9463R | Axle, wheelie bar, 6061-T6 aluminum (red-anodized) (1)/ 3x12 | 1647 | Silicone Grease |
| | BCS (with threadlock) (2) | 10 (1 | |
| 3727 | Battery hold-down plate (black)/ metal posts (2)/body clips (2) | | Driveline Components |
| 3727A | Battery hold-down plate (grey) / metal posts (2) / body clips (2) | 9150 | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ |
| 3628 2735 | Box, receiver (sealed)/ foam pad/2.5x8mm CS (4)/ 3x10mm CS (2) | | 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 2735 2735P | Bumper (front) Bumper (front) (pink) | 9150-RI IIE | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ |
| | Bumper, front/ 4x12 CCS (2) (fits 2WD Rustler® or Bandit®) (for LED | 3130-DLUE | 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, |
| 3735 | DUMDER HOOR 4X IZ C.C.S (Z) (IIIS ZWOJ ROSDERK) OF BADORKO OOF FED | | |

Page 2 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts List

| Page 2 | Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts | List | |
|-----------------------|---|-------------------------------------|--|
| 9150-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 9137-BLUE | Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 9150-GRN | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 9137-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 9150-ORNG | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 9137-GRN | Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 9150-RED | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 9137-ORNG | Steering blocks, extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 4628R 4628X | Differential output yokes, black (2)/ 3x5mm countersunk screws (2)/ screw pin (2) Differential output yokes, hardened steel (w/ U-joints) (2) | 9137-RED | Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 9450 | Driveshaft assembly (1), left or right (fully assembled, ready to install)/ screw pin (1) | | Suspension arms, black (rear, left & right), heavy duty Suspension arms, blue (rear, left & right), heavy duty |
| 9450R 9451 | Driveshafts, rear, steel-spline constant-velocity (complete assembly) (2) Half shaft, external splined (steel-spline constant velocity) (1) | 2758-GRN 2758-ORNG 2758-RED | Suspension arms, green (rear, left & right), heavy duty Suspension arms, orange (rear, left & right), heavy duty Suspension arms, red (rear, left & right), heavy duty |
| 2751 | (fits #9450R rear steel CV driveshaft) (for Bandit®, Bandit® VXL, Drag Slash®) Half-shaft pro-pack (internal-splined (6)/external (6)) (plastic | 9192 | Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit) |
| 1651 | shafts only) Half-shafts (internal-splined (2)/external-splined (2)/ metal U-joints | 2537 | Front Suspension & Steering 3mm threaded rods: 1 each of 20mm,25mm&44mm |
| 2754 | (4) Stub axle pins (4) | 5114 2530-BLK | Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bulkhead (front) (black) |
| 2753X | Stub axles, rear (2) Extreme HD Upgrade Kit | 2530-GRAY 2545 | Bulkhead (front) (gray) Bushings (plastic) (5x8x2.5mm) (4) |
| 9191 | Camber links, front (molded composite) (67mm center to center) (2) | 9191 | Camber links, front (molded composite) (67mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit) |
| 9190 | (assembled with hollow balls) (for use with #9182 upgrade kit) Camber links, rear (molded composite) (56mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit) | 9135 | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 |
| 9150 | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, | 9135-BLUE | upgrade kit) Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 |
| 9150-BLUE | 9181, 9182 upgrade kit) Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 9135-GRAY | upgrade kit) Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) |
| 9150-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 9135-GRN | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) |
| 9150-GRN | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 9135-ORNG | 6 Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) |
| 9150-ORNG | Carriers, stub axle, rear, extreme heavy duty, orange (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 9135-RED | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) |
| 9150-RED | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 2437 1942 | Front axles (2)/ 4mm nylon locknuts (2) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 9135 | Caster blocks (c-hubs), extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) | 5525R 2742 5347 | Rod ends, heavy duty (Jato®/Slayer) (8) Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) |
| 9135-BLUE | Caster blocks (c-hubs), extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) | 2742X 3744X | Rod ends, short (6)/ hollow balls (6) Servo saver w/ adapters |
| | Caster blocks (c-hubs), extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) | 3639 9137 | Shock tower (front) Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 9135-GRN | Caster blocks (c-hubs), extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) | 9137-BLUE | Steering blocks, extreme heavy duty, blue (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| | Caster blocks (c-hubs), extreme heavy duty, orange (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) | 9137-GRAY | Steering blocks, extreme heavy duty, gray (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 |
| 9135-RED | Caster blocks (c-hubs), extreme heavy duty, red (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9182 upgrade kit) | 9137-GRN | upgrade kit) Steering blocks, extreme heavy duty, green (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, |
| 9182 | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, black (fits Bandit® or Drag Slash®) | 9137-ORNG | 9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, orange (left & right)/ |
| | Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, blue (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, gray | 9137-RED | 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) Steering blocks, extreme heavy duty, red (left & right)/ 3x26mm |
| 9182-GRN | (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, | 2534 ^ | hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) |
| 9182-ORNG | green (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, | 2531A | Suspension arms, black, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) |
| 9182-RED | orange (fits Bandit® or Drag Slash®) Outer Driveline & Suspension Upgrade Kit, extreme heavy duty, | 2531L 2531G | Suspension arms, blue, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, green, front, heavy duty (2) (requires #3632 |
| 9137 | red (fits Bandit® or Drag Slash®) Steering blocks, extreme heavy duty, black (left & right)/ 3x26mm hinge pins (2)/ 3x15mm BCS (2) (for use with #9180, 9181, 9182 | 2531G 2531T | suspension arms, green, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) Suspension arms, orange, front, heavy duty (2) (requires #3632 series caster block and #3640 screw pin set) |
| | upgrade kit) | | |

| Page 3 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts Li | Page 3 | Bandit®: | TQ™ 2.40 | Hz Radio | (Model 2 | 24254-8) | Parts I | List |
|---|--------|----------|----------|----------|----------|----------|---------|------|
|---|--------|----------|----------|----------|----------|----------|---------|------|

| Page 3 | Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts | List | |
|----------------------|---|----------------------|--|
| 2531R | Suspension arms, red, front, heavy duty (2) (requires #3632 | | Motors & Electronics |
| 0440 | series caster block and #3640 screw pin set) | 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 9142 | Suspension pin set, extreme heavy duty, complete (front and rear) (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) | 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) |
| 3740 | Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) | 3790 | Gear adapter, fixed |
| 0040 | (strengthens caster blocks) | 2053 2072A | Gear set (for 2055, 2056 servos) Gear set (for 2070, 2075 servos) |
| 2640 | Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to strengthen front bulkhead) | 2072A 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2532 | Tie bar, fiberglass (requires suspension pins, part# 2640) | 2272 | Gear set, metal (for 2270 waterproof servo) |
| 9192 | Toe links (molded composite) (75mm center to center) (2) (assembled | 1552 | Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench |
| 2445 | with hollow balls) (for use with #9182 upgrade kit) | 1275 | Motor, Stinger (20-turn, 540 size) |
| 2443 | Turnbuckles, toe link, 55mm (75mm center to center) (2) (assembled with rod ends and hollow balls) | 3785 3351R | Motor, Titan® 12T (12-Turn, 550 size) Motor, Velineon® 3500, brushless (assembled with 12-gauge |
| | Hardware | | wire and gold-plated bullet connectors) |
| 2537 | 3mm threaded rods: 1 each of 20mm,25mm&44mm | 3725R | Mounting plate, electronic speed control (for installation of XL-5/VXL into Bandit or Rustler®) |
| 4363 | Ball screws (3x12mm) (lower shock attachment screws) (6) | 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 1834 | Body Clips (12) (standard size) | 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 3934 3980 | Body clips, heavy duty (12) Glow plug wrench (Universal wrench) | 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for |
| 3787 | Hardware kit, Bandit®/Stampede®/Rustler® (contains all | 2271 | 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) |
| | hardware used on Bandit®, Stampede®, or Rustler®) | 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) |
| 1552 | Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench | 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 1747P 3647 | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) | 2075 | Servo, digital high-torque (ball bearing), waterproof |
| 1747 | Nuts, 4mm nylon locking (10) | 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing) waterproof |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) | 2255 | Servo, digital high-torque 400 brushless, metal gear (ball |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) | | bearing), waterproof |
| 1747T 1747A | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) | 2280 | Servo, digital high-torque 600 brushless, metal gear (ball |
| 1747A 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) | 2270 | bearing), waterproof Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws | 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| | (2) | 2056 | Servo, high-torque, waterproof (blue case) |
| 5525R 2742 | Rod ends, heavy duty (Jato®/Slayer) (8) | 3350R | Velineon® VXL-3s Brushless Power System, waterproof |
| 5347 | Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) | | (includes VXL-3s waterproof ESC , Velineon® 3500 motor, and speed control mounting plate (part #3725)) |
| 2742X | Rod ends, short (6)/ hollow balls (6) | 3355R | VXL-3s Waterproof Electronic Speed Control (brushless) |
| 3288 | Screw, 3x15mm washerhead self-tapping (6) | | (fwd/rev/brake) |
| 3229 3965 | Screws, 2.5x10mm cap-head machine (hex drive) (6) Screws, 2.5x8mm cap-head machine (6) | 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage detection, fwd/rev/brake) |
| 2587 | Screws, 3x10mm caphead machine (6) (no washer) | | Radio System, Batteries & Chargers |
| 2675 | Screws, 3x10mm roundhead self-tapping (6) | 2827X | 3000mah 7.4v 2-Cell LiPo Battery |
| 2648 | Screws, 3x12mm countersunk self-tapping (6) | 2842X | 5000mah 7.4v 2-Cell 25C LiPo Battery |
| 2676 3186 | Screws, 3x12mm roundhead self-tapping (6) Screws, 3x12mm washerhead machine (6) | 2843X | 5800mah 7.4v 2-Cell 25C LiPo Battery |
| 3286 | Screws, 3x12mm washerhead self-tapping (6) | 2869X | 7600mah 7.4v 2-Cell 25C LiPo Battery |
| 2649 | Screws, 3x15mm countersunk self-tapping (6) | 2914 2976 | AA 4PK AC to DC adapter |
| 2563 | Screws, 3x15mm roundhead machine (6) | 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® |
| 3187 2566 | Screws, 3x15mm washerhead machine (6) Screws, 3x20mm roundhead machine (6) | | batteries to separate balance ports) |
| 2567 | Screws, 3x23mm roundhead machine (6) | 2943 | Battery charge indicators, green (4), grey (4), blue (4) |
| 2554 | Screws, 3x6mm caphead machine (hex drive) (6) | 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) |
| 2558 | Screws, 3x6mm roundhead machine (6) | 2923X | Battery, Power Cell, 3000mAh (NiMH, 7-C flat, 8.4V) |
| 3185X | Screws, 3x8mm washerhead machine (large head for motor mount) (6) | 2926X | Battery, Power Cell, 3000mAh (NiMH, 7-C hump, 8.4V) |
| 3290 | Screws, 3x8mm washerhead self-tapping (6) | 2942X 2940X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 6-C flat, 7.2V) |
| 2548 | Screws, 4x12mm countersunk machine (100-degree) (6) | 2940X 2941X | Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C flat, 8.4V) Battery, Series 3 Power Cell, 3300mAh (NiMH, 7-C hump, 8.4V) |
| 3167 | Screws, 4x15mm countersunk machine (6) | 2952X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 6-C flat, 7.2V) |
| 2743 3742 | Set (grub) screws, 3mm hardened (12) Shoulder screws, steering bellcranks (3x30mm cap-head machine) | 2950X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C flat, 8.4V) |
| JL | (2)/ draglink shoulder screws (chrome) (2) | 2951X 2960X | Battery, Series 4 Power Cell, 4200mAh (NiMH, 7-C hump, 8.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C flat, 8.4V) |
| 3642 | Shoulder screws, Ultra shocks (3x12) (6) | 2960X 2961X | Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hat, 6.4V) Battery, Series 5 Power Cell, 5000mAh (NiMH, 7-C hump, 8.4V) |
| 2754 9142 | Stub axle pins (4) Suspension pin set, extreme heavy duty, complete (front and rear) | 2985-2S | Battery/charger completer pack (includes #2985 charger (1), |
| 9142 | (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with | | #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) |
| | #9180, 9181, 9182 upgrade kit) | 2260 | BEC assembly (complete) (12.6 volts (3s LiPo) maximum input voltage) |
| 3740 | Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens | 2975 | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2637 | caster blocks) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) | 2972 | Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery |
| 2746 | Washers, 3x6mm metal (12) | 2973 | Identification Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto |
| 2/40 | 14" 1 " (0) (((0) (((0) ((0) (((0) (((0) (((0) (((0) ((((((((| 2013 | Battery Identification |
| 2615 | Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) | | |
| | Wing buttons (2)/ set screws (2)/ spacers (2)/ 3x8mm CS (2) | 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery |
| | | 2970 2981 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto |
| 2615 3791 3795 | LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) | 2981 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 2615 3791 | LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with LED light bar, rear LED harness, & BEC Y-harness) (fits 2WD | 2981 2985 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification |
| 2615 3791 3795 | LED light bar, front (assembled)/ 3x8 BCS (2)/ 2.5x8 BCS (2) (requires #3735 front bumper for 2WD Rustler® or Bandit®) LED light harness, rear (requires #2477 wheelie bar mount) LED light set, complete (includes front and rear bumpers with | 2981 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto |

| Page 4 | Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts | List | |
|-----------|--|-----------------------|--|
| 2053 | Gear set (for 2055, 2056 servos) | 9450 | Driveshaft assembly (1), left or right (fully assembled, ready to |
| 2072A | Gear set (for 2070, 2075 servos) | | install)/ screw pin (1) |
| 2252 | Gear set, metal (for 2250, 2255 servos) | 9450R | Driveshafts, rear, steel-spline constant-velocity (complete |
| 2272 | Gear set, metal (for 2270 waterproof servo) | 2620 | assembly) (2) |
| 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for | 3638X 2753X | Shock tower (rear) |
| 2060 | Traxxas® iD® batteries) | 2758 | Stub axles, rear (2) |
| 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) | | Suspension arms, black (rear, left & right), heavy duty Suspension arms, blue (rear, left & right), heavy duty |
| 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal | 2758-BEGE 2758-GRN | Suspension arms, green (rear, left & right), heavy duty |
| 0000 | pad | | S Suspension arms, green (rear, left & right), heavy duty |
| 2912 | Power adapter, AC, USB-C (45W) (110 volt, North America only) | 2758-RED | Suspension arms, red (rear, left & right), heavy duty |
| 2916 | Power cable, USB-C, 100W (high output), 5 ft. (1.5m) | 9142 | Suspension pin set, extreme heavy duty, complete (front and rear) |
| 6519 | Receiver, micro, TQ 2.4GHz (3-channel) | ***- | (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with |
| 6552 | Seal kit, expander box (includes o-ring, seals, and silicone | | #9180, 9181, 9182 upgrade kit) |
| | grease) | | Shock Oil |
| 6526 | Sensor, auto-detectable, temperature | 5024 | |
| 6527 | Sensor, auto-detectable, voltage | 5031 5032 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 6520 | Sensor, RPM (long)/ 3x4mm BCS (1)/ 3x4 GS (1) | 5032 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 6521 | Sensor, temperature and voltage (long) | 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) | 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) | 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for | 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) |
| 2271 | 2250, 2255 servos) Servo case/ gaskets (for 2270 waterproof servo) | 5029 | Shock oil bottle (60cc) (for mixing shock oil) |
| 2074 | Servo case/gaskets (for 2056 and 2075 waterproof servos) | 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof | | 80 wt premium shock oils with spinning carousel rack) |
| 2075 | Servo, digital high-torque (ball bearing), waterproof | 5038 | Spinning carousel rack |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), | | Shocks (Pro-level Aluminum) |
| | waterproof | 2664 | Big Bore shock cylinder (long) (1) |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball | 5862 | Big Bore shocks (hard-anodized & PTFE-coated T6 aluminum) |
| | bearing), waterproof | 0002 | (assembled with TiN shafts and springs) (front & rear) (4) |
| 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof | 2660 | Big-bore shocks (long) (hard-anodized & PTFE-coated T6 |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof | | aluminum) (assembled with TiN shafts) w/o springs (2) |
| 2056 | Servo, high-torque, waterproof (blue case) | 2662 | Big-bore shocks (xx-long) (hard-anodized & PTFE-coated T6 |
| 6553X | Telemetry Expander 2.0 and GPS module 2.0, TQi radio system | | aluminum) (assembled with TiN shafts) w/o springs (rear) (2) |
| 6550X | Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module) | 2669 | Piston head set (2-hole (2)/ 3-hole (2))/ shock mounting bushings |
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with | 4040 | & washers (2) (Big Bore Shocks) |
| 033 IX | #6550X telemetry expander) | 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 6538 | Telemetry trigger magnet holders, spur gear/ magnet, 5x2mm (1)/ | 2742X | Rod ends, short (6)/ hollow balls (6) |
| | 3x8mm CCS (3)/ 3x10mm CCS (3) | 2667 | Shock caps, aluminum (2) (Big Bore Shocks) |
| 6540 | Telemetry trigger magnet, 5X2mm (1) | 2362 | Shock rebuild kit (for 2 shocks) |
| 6509R | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link | 1664T | Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| | enabled, TSM® (2-ch transmitter, 5-ch micro receiver) | 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 6507R | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® | 1765 | Silicone diaphragms (4) |
| | Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) | 2668 | Spring retainers, upper & lower (2)/ spring pre-load spacers: |
| 6516 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) | | 1mm (4)/ 1.5mm (2)/ 2mm (2)/ 4mm (2)/ 8mm (2) (Big Bore |
| 6528 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2- | 5860 | Shocks) Springs front (white) (progressive rate) (2) (for Slock his hare |
| | channel (transmitter only) | 5000 | Springs, front (white) (progressive rate) (2) (for Slash big bore shocks) |
| 6529 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3- | 5859 | Springs, rear (white) (progressive rate) (2) (for Slash big bore |
| | channel (transmitter only) | | shocks) |
| 6530 | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4- | | Shocks (Ultra Shocks) |
| 6511 | channel (transmitter only) Traxxas® Link Bluetooth® module | 3642 | Attachment screws, shock (3x12mm shoulder screws) (6) |
| 6537 | Wire retainers, gear cover/ 3x4mm BCS (2) | 3765A | Body, Ultra Shock (long) (grey) (2) |
| 3018R | XL-5 Electronic Speed Control, waterproof (land version, low-voltage | 3766A | Body, Ultra Shock (XXL) (grey) (2) |
| 001011 | detection, fwd/rev/brake) | 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws |
| | Ready-To-Race Model | | (2) |
| | _ | 2742X | Rod ends, short (6)/ hollow balls (6) |
| 24254-8 | Bandit®: 1/10 Scale Off-Road Buggy with TQ™ 2.4GHz radio system | 3767 | Shock caps (2)/ shock bottoms (2) |
| | Rear Suspension | 8361 | Shock caps (black) (4) (assembled with hollow balls) |
| 9190 | Camber links, rear (molded composite) (56mm center to center) (2) | 3767A | Shock caps, aluminum (blue-anodized) (4) (fits all Ultra Shocks) |
| | (assembled with hollow balls) (for use with #9182 upgrade kit) | 3767G | Shock caps, aluminum (green-anodized) (4) (fits all Ultra Shocks) |
| 9150 | Carriers, stub axle, rear, extreme heavy duty, black (left & right)/ | 3767T | Shock caps, aluminum (orange-anodized) (4) (fits all Ultra |
| | 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, | | Shocks) |
| | 9181, 9182 upgrade kit) | 3767P | Shock caps, aluminum (pink-anodized) (4) (fits all Ultra Shocks) |
| 9150-BLUE | Carriers, stub axle, rear, extreme heavy duty, blue (left & right)/ | 3767X | Shock caps, aluminum (red-anodized) (4) (fits all Ultra Shocks) |
| | 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 2362 1664T | Shock rebuild kit (for 2 shocks) Shock shafts, hardened steel, titanium nitride coated (long) (2) |
| 9150-GRAY | Carriers, stub axle, rear, extreme heavy duty, gray (left & right)/ | 1664 | Shock shafts, steel, chrome finish (long) (2) |
| 0.00 0.01 | 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, | 1765 | Silicone diaphragms (4) |
| | 9182 upgrade kit) | 3769 | Spring pre-load spacers: 1mm (4)/ 2mm (2)/ 4mm (2)/ 8mm (2) |
| 9150-GRN | Carriers, stub axle, rear, extreme heavy duty, green (left & right)/ | 3768 | Spring retainers, upper & lower (2)/ piston head set (2-hole (2)/ 3-hole |
| | 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, | | (2)) |
| | 9181, 9182 upgrade kit) | 2457 | Spring, rear(black) (2) |
| 9150-ORNG | Carriers, stub axle, rear, extreme heavy duty, orange (left & | 2458P | Springs (front) (pink) (2) |
| | right)/ 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, 9181, 9182 upgrade kit) | 2458A | Springs (front) (white) (2) |
| 9150-RED | Carriers, stub axle, rear, extreme heavy duty, red (left & right)/ | 2457P | Springs, (rear) (pink) (2) |
| J.30 NED | 3x31mm hinge pins (2)/ 3x18mm BCS (2) (for use with #9180, | 2458 | Springs, front (black) (2) |
| | 9181, 9182 upgrade kit) | 2457A | Springs, rear (white) (2) |
| | | | |

| Page 5 | Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts | List | |
|----------------------|--|----------------------|--|
| 3760 | Ultra Shocks (black) (long) (complete w/ spring pre-load spacers & springs) (front) (2) | 2444R | Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 3762 | Ultra Shocks (black) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) | 9190 | balls)/ aluminum wrench (1) Camber links, rear (molded composite) (56mm center to center) (2) |
| 3760A | Ultra Shocks (grey) (long) (complete w/ spring pre-load spacers & springs) (2) | 2443X | (assembled with hollow balls) (for use with #9182 upgrade kit) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, |
| 3762A | Ultra Shocks (grey) (xx-long) (complete w/ spring pre-load spacers & springs) (rear) (2) | 2443A | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 |
| 3793 | Slipper Clutch Components Input shaft (slipper shaft) / spring pin | 2443A | aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 5552X | Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) | 2443G | Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 2554 5556 | Screws, 3x6mm caphead machine (hex drive) (6) Slipper pressure plate & hub (aluminum alloy) | 2443T | balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| | Spur Gears & Pinion Gears | | balls)/ aluminum wrench (1) |
| 3790 | Gear adapter, fixed | 2443P | Camber links, rear (TUBES pink-anodized, 7075-T6 aluminum, |
| 2416 | Gear, 16-T pinion (48-pitch) / set screw | | stronger than titanium) (2) (assembled with rod ends and hollow |
| 1918 2419 | Gear, 18-T pinion (48-pitch) / set screw Gear, 19-T pinion (48-pitch) / set screw | 24420 | balls)/ aluminum wrench (1) |
| 2413 | Gear, 21-T pinion (48-pitch) / set screw | 2443R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 2423 | Gear, 23-T pinion (48-pitch) (fits 3mm shaft)/ set screw | | balls)/ aluminum wrench (1) |
| 2426 | Gear, 26-T pinion (48-pitch) (fits 3mm shaft)/ set screw | 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws |
| 2431 | Gear, 31-T pinion (48-pitch) (fits 3mm shaft)/ set screw | | (2) |
| 4725 | Gear, pinion (25-tooth) (48-pitch) / set screw | 5525R | Rod ends, heavy duty (Jato®/Slayer) (8) |
| 4676 | Spur gear, 76-tooth (48-pitch) (for models with Torque Control slipper clutch) | 2742 5347 | Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) |
| 4683 | Spur gear, 83-tooth (48-pitch) (for models with Torque Control slipper | | Rod ends, short (6)/ hollow balls (6) |
| 4000 | clutch) | 9142 | Suspension pin set, extreme heavy duty, complete (front and rear) |
| 4686 | Spur gear, 86-tooth (48-pitch) (for models with Torque-Control slipper clutch) | | (2.5x26mm (4), 3x32mm (2), 3x40mm (2), 3x46mm (2)) (for use with #9180, 9181, 9182 upgrade kit) |
| 4690 | Spur gear, 90-tooth (48-pitch) (for models with Torque-Control slipper clutch) | 3740 2637 | Suspension pins, 2.5x31.5mm (king pins) w/ E-clips (2) (strengthens caster blocks) Suspension pins, 31.5mm, chrome (2) w/ E-clips (4) (front |
| | Steering Components | 2037 | suspension arm to caster block) |
| 2537 | 3mm threaded rods: 1 each of 20mm,25mm&44mm | 2640 | Suspension pins, 44mm (2) w/ E-clips (Use with tie bar to |
| 5114 2545 | Ball bearings, blue rubber shield (5x8x2.5mm) (2) Bushings (plastic) (5x8x2.5mm) (4) | 0400 | strengthen front bulkhead) |
| 9191 | Camber links, front (molded composite) (67mm center to center) (2) | 9192 | Toe links (molded composite) (75mm center to center) (2) (assembled with hollow balls) (for use with #9182 upgrade kit) |
| 1942 | (assembled with hollow balls) (for use with #9182 upgrade kit) Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws | 2445X | Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 07.40 | (2) | | balls)/ aluminum wrench (1) |
| 2742 5347 | Rod ends, long (6)/ hollow ball connectors (6) Rod ends, Revo® (large) with hollow balls (12) | 2445A | Toe links, front (TUBES charcoal gray-anodized, 7075-T6 |
| 2742X | Rod ends, short (6)/ hollow balls (6) | | aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 3744 | Servo saver w/ adapters | 2445G | Toe links, front (TUBES green-anodized, 7075-T6 aluminum, |
| 3742 | Shoulder screws, steering bellcranks (3x30mm cap-head machine) (2)/ draglink shoulder screws (chrome) (2) | = | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 3743 3743A | Steering bellcranks (l&r)/ draglink Steering bellcranks, drag link (blue-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) | 2445T | Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 3743G | Steering bellcranks, drag link (green-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) | 2445P | Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 3743T | Steering bellcranks, drag link (orange-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) | 2445R | balls)/ aluminum wrench (1) Toe links, front (TUBES red-anodized, 7075-T6 aluminum, |
| 3743P | Steering bellcranks, drag link (pink-anodized 6061-T6 aluminum)/ 5x8mm ball bearings (4)/ hardware (assembled) | | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 3743X | Steering bellcranks, drag link (red-anodized 6061-T6 aluminum)/ | | Team Traxxas Items |
| 6845X | 5x8mm ball bearings (4)/ hardware (assembled) Steering bellcranks/ servo saver/ servo saver spring/ servo | 9916 2514 | Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar) Decal sheet, racing sponsors |
| 9192 | spring retainer/servo horn, steering Toe links (molded composite) (75mm center to center) (2) (assembled with hellow hellow for use with #0.482 upgrade kit) | 9917 | Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar) |
| | with hollow balls) (for use with #9182 upgrade kit) | 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |
| 20.42 | Suspension Linkage | 9909 | Traxxas® racing banner, red & black (3x7 feet) |
| 3642 9191 | Attachment screws, shock (3x12mm shoulder screws) (6) Camber links, front (molded composite) (67mm center to center) (2) | | Tires & Wheels |
| 9191 | (assembled with hollow balls) (for use with #9182 upgrade kit) | 3775 | Bushings, self-lubricating (5x8x2.5mm) (12) |
| 2444X | Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, | 2475 | Front wheels(2)(Bandit) |
| | stronger than titanium) (2) (assembled with rod ends and hollow | 1747P 3647 | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 04444 | balls)/ aluminum wrench (1) | 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 2444A | Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) | 1747G 1747T | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 2444G | Camber links, front (TUBES green-anodized, 7075-T6 aluminum, | 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| | stronger than titanium) (2) (assembled with rod ends and hollow | 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |
| | balls)/ aluminum wrench (1) | 2474 | Rear wheels (2) (Bandit) |
| 2444T | Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow | 1647 | Silicone Grease |
| | balls)/ aluminum wrench (1) | 3471 2754 | Street tread tires, 2.15"Pro-trax (f)(2) |
| 2444P | Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, | 2754 1771 | Stub axle pins (4) Tire, front 2.1" spike (2) |
| | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) | | , |
| | | | |

| Page 6 | Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts | List | |
|----------------------|---|----------------------|--|
| 2470T | Tires & wheels, assembled (2.2" black chrome wheels, Alias® | 5556 | Slipper pressure plate & hub (aluminum alloy) |
| | 2.2" tires) (2) (Bandit® rear, medium compound with foam inserts) | 3195 3695 | Top drive gear, steel (22-tooth) Transmission, complete (fits 1/10-scale 2WD Rustler®, Bandit®, |
| 2471T | Tires & wheels, assembled (2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam | | Stampede®, Slash®) |
| | inserts) | 0.400)/ | Traxxas Tools |
| 2479T | Tires & wheels, assembled (2.2" black chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)) | 3433X 3433 | Body reamer (aluminum handle) Body reamer (plastic handle) |
| 2478T | Tires & wheels, assembled (2.2" black chrome wheels, | 3436 | Cap, body reamer |
| | Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear) | 3432 | Scissors, curved tip |
| 2470G | Tires & wheels, assembled (2.2" black, satin chrome beadlock wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with | 3431 8712 | Scissors, straight tip Speed Bit Essentials Set, hex and nut driver, 7-piece, includes |
| | foam inserts) | 0712 | premium handle (medium), travel pouch, hex drivers (straight: |
| 2471G | Tires & wheels, assembled (2.2" black, satin chrome beadlock | | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, |
| | wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium compound w/ foam inserts) | 8720 | and 8.0mm), 1/4" drive Speed bit handle, large (overmolded) |
| 2479G | Tires & wheels, assembled (2.2" black, satin chrome beadlock | 8721 | Speed bit handle, medium (one piece) |
| | wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® | 8722 | Speed bit handle, premium (rubber overmold) |
| 2478G | front) Tires & wheels, assembled (2.2" black, satin chrome beadlock | 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: |
| 24.00 | wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® | | 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, |
| 04744 | rear) | | 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, |
| 2471A | Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/ | 8711 | 8.0mm), 1/4" drive Speed Bit Master Set, hex driver, 7-piece straight and ball end, |
| | foam inserts) | 0711 | includes premium handle (medium), travel pouch, hex drivers |
| 2478A | Tires & wheels, assembled (Tracer 2.2" black chrome wheels, | | (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, |
| 2470R | Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear) Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® | 8719 | 2.5mm, 3.0mm), 1/4" drive |
| 247010 | 2.2" tires) (2) (Bandit rear, medium compound with foam inserts) | 0/19 | Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, |
| 2471R | Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® | | 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| | ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam inserts) | 8716 | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive |
| 2479R | Tires & wheels, assembled (Tracer 2.2" chrome wheels, | 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, |
| | Anaconda® 2.2" tires with foam inserts) (2) (Bandit front) | | 3.0mm) 1/4" drive |
| 2478R | Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear) | 8715 | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive |
| 1770 | Tires, 2.15 spiked (rear) (2) | 8715X | Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, |
| 2470 | Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound) | | 2.5mm, 3.0mm), 1/4" drive |
| 2471 | Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft compound) | 8714 | Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive |
| 2478 | Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft | 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / |
| | compound) | | 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint |
| 2479 | Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft compound) | 3415 | wrench) Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, |
| 3470 | Tires, street slicks (rear) (2) | 3413 | 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut |
| 2481A | Wheels, 2.2" (black chrome) (2) (Bandit® front) | | drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, |
| 2480A | Wheels, 2.2" (black chrome) (2) (Bandit® rear) | | #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle) |
| 2481 | Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front) | | , |
| 2480 2473A | Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear) Wheels, Tracer 2.2" (black chrome) (2) (Bandit front) | 0507 | Turnbuckles & Threaded Rods |
| 2472A | Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear) | 2537 2444X | 3mm threaded rods: 1 each of 20mm,25mm&44mm Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, |
| 2473 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) | 2444 | stronger than titanium) (2) (assembled with rod ends and hollow |
| 2472 | Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) | | balls)/ aluminum wrench (1) |
| | Transmission Components | 2444A | Camber links, front (TUBES charcoal gray-anodized, 7075-T6 |
| 5116 | Ball bearings, blue rubber sealed (5x11x4mm) (2) | | aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 3792 | Cover, gear/ rubber gear cover plug/ 3x6 RM (2) | 2444G | Camber links, front (TUBES green-anodized, 7075-T6 aluminum, |
| 5478 | (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) | | stronger than titanium) (2) (assembled with rod ends and hollow |
| 3790 | Gear adapter, fixed | 2444T | balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, |
| 3691 | Gearbox halves (L&R) (black) w/ idler gear shaft | | stronger than titanium) (2) (assembled with rod ends and hollow |

| | Anaconda® 2.2" tires with foam inserts) (2) (Bandit® front)) | 3433 | Body reamer (plastic handle) |
|---|---|---|---|
| 2478T | Tires & wheels, assembled (2.2" black chrome wheels, | 3436 | Cap, body reamer |
| | Anaconda® 2.2" tires with foam inserts) (2) (Bandit® rear) | 3432 | Scissors, curved tip |
| 2470G | Tires & wheels, assembled (2.2" black, satin chrome beadlock | 3431 | Scissors, straight tip |
| | wheels, Alias® 2.2" tires) (2) (Bandit® rear, medium compound with | 8712 | Speed Bit Essentials Set, hex and nut driver, 7-piece, includes |
| 2471G | foam inserts) Tires & wheels, assembled (2.2" black, satin chrome beadlock | | premium handle (medium), travel pouch, hex drivers (straight: |
| 247 10 | wheels, Alias® ribbed 2.2" tires) (2) (Bandit® front, medium | | 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive |
| | compound w/ foam inserts) | 8720 | Speed bit handle, large (overmolded) |
| 2479G | Tires & wheels, assembled (2.2" black, satin chrome beadlock | 8721 | Speed bit handle, medium (one piece) |
| | wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® | 8722 | Speed bit handle, premium (rubber overmold) |
| | front) | 8710 | Speed Bit Master Set, hex and nut driver, 13-piece, includes |
| 2478G | Tires & wheels, assembled (2.2" black, satin chrome beadlock | | premium handle (medium), travel pouch, hex drivers (straight: |
| | wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit® | | 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, |
| 04744 | rear) | | 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, |
| 2471A | Tires & wheels, assembled (Tracer 2.2" black chrome wheels, Alias® ribbed 2.2" tires) (2) (Bandit front, medium compound w/ | 0744 | 8.0mm), 1/4" drive |
| | foam inserts) | 8711 | Speed Bit Master Set, hex driver, 7-piece straight and ball end, |
| 2478A | Tires & wheels, assembled (Tracer 2.2" black chrome wheels, | | includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, |
| | Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear) | | 2.5mm, 3.0mm), 1/4" drive |
| 2470R | Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® | 8719 | Speed Bit Master Set, nut driver, 6-piece, includes premium |
| | 2.2" tires) (2) (Bandit rear, medium compound with foam inserts) | | handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, |
| 2471R | Tires & wheels, assembled (Tracer 2.2" chrome wheels, Alias® | | 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive |
| | ribbed 2.2" tires) (2) (Bandit front, medium compound w/ foam | 8716 | Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" |
| | inserts) | | drive |
| 2479R | Tires & wheels, assembled (Tracer 2.2" chrome wheels, | 8716X | Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, |
| 2470D | Anaconda® 2.2" tires with foam inserts) (2) (Bandit front) | | 3.0mm) 1/4" drive |
| 2478R | Tires & wheels, assembled (Tracer 2.2" chrome wheels, Anaconda® 2.2" tires with foam inserts) (2) (Bandit rear) | 8715 | Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, |
| 1770 | Tires, 2.15 spiked (rear) (2) | 8715X | 2.5mm), 1/4" drive Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, |
| 2470 | Tires, Alias® 2.2" (rear) (2)/ foam inserts (Bandit) (soft compound) | 0/13/ | 2.5mm, 3.0mm), 1/4" drive |
| 2471 | Tires, Alias® ribbed 2.2" (wide, front) (2)/ foam inserts (Bandit) (soft | 8714 | Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 |
| 2.,, , | compound) | 0 7 1-7 | Phillips, and #2 Phillips bits), 1/4" drive |
| 2478 | Tires, Anaconda® 2.2" (rear) (2)/ foam inserts (Bandit) (soft | 2748R | Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / |
| | compound) | | 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint |
| 2479 | Tires, Anaconda® 2.2" (wide, front) (2)/foam inserts (Bandit) (soft | | wrench) |
| | compound) | 3415 | Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, |
| 3470 | Tires, street slicks (rear) (2) | | 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut |
| 2481A | Wheels, 2.2" (black chrome) (2) (Bandit® front) | | drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm |
| 2480A | Wheels, 2.2" (black chrome) (2) (Bandit® rear) | | wrenches/ driver handle) |
| 2481 | Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® front) | | |
| 2480 | Wheels, 2.2" (black, satin chrome beadlock) (2) (Bandit® rear) | | Turnbuckles & Threaded Rods |
| 2473A | Wheels, Tracer 2.2" (black chrome) (2) (Bandit front) | 2537 | 3mm threaded rods: 1 each of 20mm,25mm&44mm |
| 24724 | | | |
| 2472A 2473 | Wheels, Tracer 2.2" (black chrome) (2) (Bandit rear) | 2444X | Camber links, front (TUBES blue-anodized, 7075-T6 aluminum, |
| 2473 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) | 2444X | stronger than titanium) (2) (assembled with rod ends and hollow |
| | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) | | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) | 2444X 2444A | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 |
| 2473 2472 5116 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Transmission Components Ball bearings, blue rubber sealed (5x11x4mm) (2) | | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends |
| 2473 2472 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Traismission Commonwealth (Sandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) | | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Traismission Committee (5x11x4mm) (2) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) | 2444A | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends |
| 2473 2472 5116 3792 5478 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISII SSIOI GOIIIIOIIAIS Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) | 2444A 2444G | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISIIISSION FOULDION (Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed | 2444A | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, |
| 2473 2472 5116 3792 5478 3790 3691 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISIIISSIOI COULDING Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft | 2444A 2444G | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 2473 2472 5116 3792 5478 3790 3691 3691A | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISIIISSION FOILING (Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft | 2444A 2444G 2444T | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAISSI SS OF COMMENT (BANDIT | 2444A 2444G | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sills of College (Sx11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) | 2444A 2444G 2444T | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Iffilsiis Offolio Gils Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) | 2444A 2444G 2444T 2444P | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sills of College (Sx11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) | 2444A 2444G 2444T | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAISSI SI OF FOIL (1918) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits | 2444A 2444G 2444T 2444P | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAILSIIISSI OF FOIL (CHROME) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) | 2444A 2444G 2444T 2444P | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAISSI SIDE FOILIDITIES Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin | 2444A 2444G 2444T 2444P 2444R | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Foll College Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, | 2444A 2444G 2444T 2444P 2444R 2443X | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Iffilsiis of Foil of Gandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment | 2444A 2444G 2444T 2444P 2444R | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) ITAIISIIISSION FOILIDIONS Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4/) planet shafts (4/) sun gears (2/)sun gear alignment shaft (1) all hardened steel | 2444A 2444G 2444T 2444P 2444R 2443X | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If Issi Sion Colling Sion Colling Sion Cover, gear/ rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, | 2444A 2444G 2444T 2444P 2444R 2443X 2443A | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Foll College Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) | 2444A 2444G 2444T 2444P 2444R 2443X | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If IISIIISSION FOILIDITES Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) | 2444A 2444G 2444T 2444P 2444R 2443X 2443A | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 2388X 9495 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) Iffilsiision Foilion (1) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) | 2444A 2444G 2444T 2444P 2444R 2443X 2443A | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If Issi Sion Colling Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 30-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ | 2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 23882 2388X 9495 5552X | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Coll Coll (Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/4.0mm NL (1)/5.0mm NL (1)) | 2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443T | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 2388X 9495 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If Issi Sion Colling Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, 30-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ | 2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 23882 2388X 9495 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Foll Foll (1) (Bandit rear) Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x6mm caphead machine (hex drive) (6) | 2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443T | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 23882 2388X 9495 | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If all Sill Sill Foll College Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/4.0mm NL (1)/5.0mm NL (1)) Screws, 3x8mm washerhead machine (large head for motor mount) | 2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443T | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2473 2472 5116 3792 5478 3790 3691 3691A 5148 9492 3696 9494 3793 2381X 1552 2382 2388X 9495 5552X 2554 3185X | Wheels, Tracer 2.2" (chrome) (2) (Bandit front) Wheels, Tracer 2.2" (chrome) (2) (Bandit rear) If IISIIISSION FOILIDIONS Ball bearings, blue rubber sealed (5x11x4mm) (2) Cover, gear/ rubber gear cover plug/ 3x6 RM (2) (Stampede/Rustler/Bandit) Flat wrench, 8mm (blue anodized aluminum) Gear adapter, fixed Gearbox halves (L&R) (black) w/ idler gear shaft Gearbox halves (L&R) (grey) w/ idler gear shaft Grease, white lithium Idler gear, 30-tooth/ idler gear shaft (steel) Idler gear, steel (30-tooth) Input gear, 22-tooth/ input shaft (transmission) (heavy duty) (fits Bandit®, Rustler®, Stampede®, Slash® 2WD) Input shaft (slipper shaft) / spring pin Main diff with steel ring gear/ side cover plate/ screws (Bandit, Stampede®, Rustler®) Motor screws, 3x8mm hex cap (6)/ washers (6)/ wrench Planet gears (4)/ planet shafts (4)/ sun gears (2)/sun gear alignment shaft (1) all hardened steel Planetary gear differential with steel ring gear (complete) (fits Bandit, Stampede®, Rustler®) Pro Series Magnum 272R™ Transmission, complete (assembled) (fits 1/10-scale 2WD Rustler®, Bandit®, Stampede®, Slash®) Rebuild kit, slipper clutch (steel disc/ friction pads (3)/ spring (2)/ pin/ 4.0mm NL (1)/ 5.0mm NL (1)) Screws, 3x8mm washerhead machine (large head for motor mount) (6) | 2444A 2444G 2444T 2444P 2444R 2443X 2443A 2443G 2443T | stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) Camber links, rear (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |

Page 7 Bandit®: TQ™ 2.4GHz Radio (Model 24254-8) Parts List

| 2443R | Camber links, rear (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
|-------|---|
| 1942 | Rod ends (16 long & 4 short)/ hollow ball connectors (18)/ ball screws (2) |
| 5525R | Rod ends, heavy duty (Jato®/Slayer) (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 5347 | Rod ends, Revo® (large) with hollow balls (12) |
| 2742X | Rod ends, short (6)/ hollow balls (6) |
| 2445X | Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2445A | Toe links, front (TUBES charcoal gray-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2445G | Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2445T | Toe links, front (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2445P | Toe links, front (TUBES pink-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |
| 2445R | Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (assembled with rod ends and hollow balls)/ aluminum wrench (1) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.CDM