



TRX-4® Chevrolet® K10 Truck (Model 92154-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Axle Components

| | |
|--------------|----------------------------------------------------------------------------------------------------------------------------------|
| 8241 | Axle housing, front |
| 8242 | Axle housing, intermediate (TRX-6™) or rear (TRX-4®) |
| 8227 | Axle mount set (complete) (front & rear) (for suspension links) |
| 8228 | Axle shaft, front (left)/ drive pin/ cross pin |
| 8229 | Axle shaft, front (right)/ drive pin/ cross pin |
| 8060 | Axle shaft, front, heavy duty (left & right) (requires #8064 front portal drive input gear) |
| 8062 | Axle shaft, front, heavy duty (left & right)/ portal drive input gear, front (machined) (2) (assembled) |
| 8230 | Axle shaft, rear (left) |
| 8231 | Axle shaft, rear (right) |
| 8063 | Axle shaft, rear, heavy duty (left & right) (requires #8065 rear portal drive input gear) |
| 8061 | Axle shaft, rear, heavy duty (left & right)/ portal drive input gear, rear (machined) (2) (assembled) |
| 8233 | Cross pin (2)/ drive pin (2) (to rebuild front axle shafts) |
| 8256 | Portal drive axle mount, rear (left & right) |
| 8252 | Portal drive housing, inner, front (left & right)/ 2.5x4 BCS (6) |
| 8253 | Portal drive housing, inner, rear (left or right) (2) |
| 8251 | Portal drive housing, outer (front or rear) (2) |
| 8064 | Portal drive input gear, front (machined) (left or right) (requires #8060 front axle shaft) |
| 8257 | Portal drive input gear, front/ drive pin/ cross pin |
| 8259 | Portal drive input gear, rear |
| 8065 | Portal drive input gear, rear (machined) (left or right) (requires #8063 rear axle) |
| 8258 | Portal drive output gear, front or rear |
| 8252X | Portal housings, inner (front), 6061-T6 aluminum (blue-anodized) (2)/ 3x12 BCS (2) |
| 8252A | Portal housings, inner (front), 6061-T6 aluminum (charcoal gray-anodized) (2)/ 3x12 BCS (2) |
| 8251A | Portal housings, outer, 6061-T6 aluminum (charcoal gray-anodized) (2)/ 2.5x10 CS (12) |
| 8251R | Portal housings, outer, 6061-T6 aluminum (red-anodized) (2)/ 2.5x10 CS (12) |
| 8255A | Stub axle, extended thread (portal drive) (2) |
| 8267 | Weight, portal housing, brass (2) (34 grams)/ 2.5x8 CS (6) (requires #8251X, 8251R, 8251A, or 8251G outer portal housing) |

Bearings & Bushings

| | |
|-------------|-------------------------------------------------------------|
| 8214 | Ball bearing kit, stainless steel, TRX-4® (complete) |
| 8265 | Ball bearing kit, TRX-4® (complete) |
| 5107A | Ball Bearing, black rubber sealed (17x26x5) (2) |
| 5119A | Ball bearings, black rubber sealed (10x15x4mm) (2) |
| 5120A | Ball bearings, black rubber sealed (12x18x4mm) (2) |
| 5102A | Ball bearings, black rubber sealed (15x21x4mm) (2) |
| 5104A | Ball bearings, black rubber sealed (4x10x4mm) (2) |
| 5115A | Ball bearings, black rubber sealed (5x10x4mm) (2) |
| 5116A | Ball bearings, black rubber sealed (5x11x4mm) (2) |
| 5114A | Ball bearings, black rubber sealed (5x8x2.5mm) (2) |
| 5117A | Ball bearings, black rubber sealed (6x12x4mm) (2) |
| 5180A | Ball bearings, black rubber sealed (6x13x5mm) (2) |
| 5103A | Ball bearings, black rubber sealed (7x14x5mm) (2) |

Body (1979 Chevrolet® K10 Truck)

| | |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9226 | Body cage (fits #9212 body) |
| 9228 | Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body) |
| 9212 | Body, Chevrolet K10 Truck (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #9288 inner fenders) |
| 9212X | Body, Chevrolet K10 Truck (1979), complete, black (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) |
| 9212-BLUE | Body, Chevrolet K10 Truck (1979), complete, blue (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) |
| 9212-COPR | Body, Chevrolet K10 Truck (1979), complete, copper (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) |

| | |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9212R | Body, Chevrolet K10 Truck (1979), complete, red (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) |
| 9212-SLVR | Body, Chevrolet K10 Truck (1979), complete, silver (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) |
| 9299 | Decal sheet, Chevrolet K10 Truck (1979) |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8134 | Grille, Chevrolet Blazer or K10 Truck (1979)/ grille retainers (4)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (4)/ 2.5x6 BCS (2) (fits #8126 or 9212 series bodies) |
| 8082 | Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Chevrolet Blazer (1979) (includes mount, reverse lights harness, hardware) |
| 8039 | LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8126 series bodies, requires #8028 power supply) |
| 8038 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8126 series bodies) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8038X | Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8126 or 9212 series bodies) |
| 6594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 8135 | Tail lights, left & right (assembled)/ tail light retainers, left & right/ side marker lights (assembled) (2)/ side marker retainers (2)/ mounting tape (2)/ 1.6x5 BCS (self-tapping) (4)/ 2.6x8 BCS (2) (fits #8126 or 9212 series bodies) |

Body (1979 Ford® F-150® Truck)

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9233 | Body cage, front & rear (fits #9230 body) |
| 9234 | Body mounts, front & rear (fits #9230 body) |
| 9230 | Body, Ford F-150 (1979) (clear, requires painting)/ decals/ window masks (includes grille, side mirrors, door handles, windshield wipers, clipless mounting, hardware) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| 9230-BLK | Body, Ford F-150 (1979), complete, black (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| 9230-BLUE | Body, Ford F-150 (1979), complete, blue (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| 9230-BRWN | Body, Ford F-150 (1979), complete, brown (painted, decals applied) (includes grille, side mirrors, door handles, windshield wipers, front & rear bumpers, clipless mounting) (requires #9288 inner fenders) (roll bar sold separately; choose #9262 chrome, 9262R black, or 9262X chrome with lights) |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 8075 | Door handles, left & right/ windshield wipers, left & right/ retainers (3)/ 1.6x5 BCS (self-tapping) (4) (fits #8010 or 9230 series bodies) |
| 8070 | Grille, Ford Bronco or F-150/ grille retainers (6)/ headlight housing (2)/ lens (2)/ 2.6x8 BCS (6)/ 2.5x6 BCS (2) (fits #8010 or 9230 series bodies) |

Page 2 TRX-4® Chevrolet® K10 Truck: TQ™ 2.4GHz Radio (Model 92154-4) Parts List

| | |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8032R | Installation kit, Pro Scale® Advanced Lighting Control System, TRX-4® Ford Bronco (1979), Ford F-150 (1979), or Chevrolet K10 Truck (1979) (includes mount, reverse lights harness, hardware) |
| 8036R | LED light set (contains headlights, tail lights, side marker lights, and distribution block) (fits #8010 or 9230 series bodies, requires #8028 power supply) |
| 8035A | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) |
| 8037 | LED lights, high/low switch (for #8035 or #8036 LED light kits) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) |
| 8073 | Mirrors, side, black (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies) |
| 8073X | Mirrors, side, chrome (left & right)/ retainers (2)/ body clips (4) (fits #8010 or 9230 series bodies) |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8035R | Pro Scale® LED light set, TRX-4® Ford Bronco (1979) or Ford F-150 (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8010 or 9230 series bodies) |
| 6594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262R | Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9231 | Side trim, left & right (chrome)/ LED lens/ 2.6x8mm BCS (14)/ 2.6x10mm BCS (6) (fits #9230 body) |
| 8076 | Side trim, left & right (chrome)/ retainers/ LED lens/ 2.6x8 BCS (24) (fits #8010 series bodies) |
| 9232 | Tailgate panel/ tail light lens (left & right)/ tail light housing (left & right)/ 1.6x10mm BCS (self-tapping) (2) (fits #9230 body) |

Body Accessories

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 9228 | Body mounts (front & rear)/ 3x10mm BCS (7) (fits #9212 body) |
| 2514 | Decal sheet, racing sponsors |
| 9288 | Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8) |
| 9950 | Official Team Traxxas® racing decal set(flag logo/ 6-color) |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262R | Roll bar (black)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |

Bumpers & Skidplates

| | |
|-------|----------------------------------------------------------|
| 8234 | Bumper D-Rings, grey (front or rear)/ 2.0x12 CS (4) |
| 8234R | Bumper D-rings, red (front or rear)/ 2.0x12 CS (4) |
| 8067 | Bumper mounts, front & rear |
| 8067X | Bumper mounts, front & rear/ bumper mount, rear (offset) |
| 8237 | Bumper mounts, front & rear/ screw pins (4) |
| 8124 | Bumper, front (178mm wide)/ winch/ 2.6x8 BCS (1) |
| 8137 | Bumper, front (chrome)/ bumper mount/ 3x10 BCS (2) |
| 8235 | Bumper, front/ winch/ 2.6x8 BCS (1) |
| 8236 | Bumper, rear |
| 8125 | Bumper, rear (176mm wide) |
| 8136 | Bumper, rear (chrome)/ bumper mount/ 3x10 BCS (2) |
| 9237 | Extender, skid plate |
| 8138 | Push bar, bumper, chrome (assembled) (fits #8137 bumper) |
| 8238 | Skidplate/ lower gear cover |

Chassis & Attachments

| | |
|-----------|-------------------------------------------------------------------------------------------|
| 3698 | Access plug, rubber (receiver box) |
| 8327-BLUE | Battery hold-down, 6061-T6 aluminum (blue-anodized) |
| 8327-GRAY | Battery hold-down, 6061-T6 aluminum (gray-anodized) |
| 8327-GRN | Battery hold-down, 6061-T6 aluminum (green-anodized) |
| 8327-ORNG | Battery hold-down, 6061-T6 aluminum (orange-anodized) |
| 8327-RED | Battery hold-down, 6061-T6 aluminum (red-anodized) |
| 8327 | Battery hold-down/ battery clip/ hold-down post/screw pin (for 256mm wheelbase) |
| 8215 | Body mounts & posts, front & rear (complete set) |
| 8224 | Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x8 BCS (5)/ 2.5x8 CS (2) |

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8058 | Chassis conversion kit, TRX-4® (long to short wheelbase) (includes rear upper & lower suspension links, front & rear inner fenders, short female half shaft, battery tray, 3x8mm FCS (4)) |
| 8057 | Chassis conversion kit, TRX-4® (short to long wheelbase) (includes rear upper & lower suspension links, front & rear shock towers, long female half shaft) |
| 8220 | Chassis rails, 448mm (steel) (left & right) |
| 9229 | Chassis rails, 480mm (steel) (left & right) |
| 9288 | Fenders, inner, front & rear (for clipless body mounting) (2 each)/ rock light covers (8) |
| 8218 | Floor pans, left & right |
| 8224X | Receiver box cover (for use only with #8224 receiver box & #2260 BEC)/ foam pads/ seals/ silicone grease |
| 8219 | Rock sliders, left & right |
| 8225 | Seal kit, receiver box (includes o-ring, seals, and silicone grease) |
| 8240X | Servo mount, 2-speed/ servo mount, T-Lock/ wire clips |
| 8141 | Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) |
| 8239 | Servo mount, steering/ chassis crossmember |
| 8226 | Tray, battery |

Differential Components

| | |
|----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8281 | Carrier, differential/ differential slider/ T-Lock fork |
| 8280A | Differential cover, front or rear (black) |
| 8280X | Differential cover, front or rear (chrome plated) |
| 8280-GRN | Differential cover, front or rear (green) |
| 8280 | Differential cover, front or rear (grey) |
| 8280R | Differential cover, front or rear (red) |
| 8195 | Differential, locking, front and rear (assembled) (includes T-Lock cables and servos) |
| 8282 | Gear set, differential (output gears (2), spider gears (4), spider gear shaft (2)) |
| 8295 | Output drive, transmission or differential (pin retainer (1)/ drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1)) |
| 8279 | Ring gear, differential/ pinion gear, differential |
| 8287 | Ring gear, differential/ pinion gear, differential (overdrive, machined) |
| 8288 | Ring gear, differential/ pinion gear, differential (underdrive, machined) |
| 8297 | Spool/ differential housing plug/ e-clip/ 2.5x8mm BCS (with threadlock) (4) |

Driveline Components

| | |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 9250 | Driveshaft extension kit, center (includes internal splined, xx-long (2), internal splined, medium (1) and internal splined, short (1)) |
| 8139 | Half shafts, center (external splined) (2)/ pin retainer (4) (plastic parts only) |
| 8255A | Stub axle, extended thread (portal drive) (2) |
| 8269 | Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel) |
| 8269X | Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4) |
| 8269A | Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4) |
| 8269G | Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4) |
| 8269R | Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4) |

Hardware

| | |
|-------|--------------------------------------------------------------------------------------------------------------------------|
| 1552 | 3x8mm Hex Cap Screws (6)/ Washers (6)/ Wrench (1) |
| 1834 | Body Clips (12) (standard size) |
| 1834A | Body clips, black (12) (standard size) |
| 3934 | Body clips, heavy duty (12) |
| 3934A | Body clips, heavy duty (black) (12) |
| 4859 | CS 3x10 flathead (hex drive) |
| 8298 | Hardware kit, stainless steel, TRX-4® (contains all stainless steel hardware used on TRX-4®) |
| 8151 | Hardware kit, stainless steel, TRX-4® High Lift Kit (contains all stainless steel hardware used on TRX-4® High Lift Kit) |
| 8217 | Hardware kit, TRX-4® (contains all hardware used on TRX-4®) |
| 5476X | Hex wrenches; 1.5mm, 2mm, 2.5mm, 3mm, 2.5 ball |
| 1747P | Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4) |
| 3647 | Nuts, 4mm flanged nylon locking (steel, serrated) (8) |
| 8347 | Nuts, 4mm flanged nylon locking, serrated (black) (10) |
| 1747R | Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4) |
| 1747G | Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4) |
| 1747T | Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4) |
| 1747A | Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4) |
| 1985 | PTFE-coated Washers, 5x8x0.5mm (20) (use with ball bearings) |
| 8221 | Screw pin, 3x10mm (6) |
| 9236 | Screws, 1.6x10mm button-head, self-tapping (hex drive) (6) |
| 2523 | Screws, 2.5x10 countersunk machine (hex drive) (6) |
| 3229 | Screws, 2.5x10mm cap-head machine (hex drive) (6) |

Page 3 TRX-4® Chevrolet® K10 Truck: TQ™ 2.4GHz Radio (Model 92154-4) Parts List

| | |
|------|------------------------------------------------------------|
| 3236 | Screws, 2.5x12mm cap-head machine (6) |
| 2618 | Screws, 2.5x16mm cap-head machine (6) |
| 3215 | Screws, 2.5x6mm cap-head machine (hex drive) (6) |
| 2524 | Screws, 2.5x8 countersunk machine (hex drive) (6) |
| 2617 | Screws, 2.5x8mm button-head machine (hex drive) (6) |
| 3965 | Screws, 2.5x8mm cap-head machine (6) |
| 8299 | Screws, 2.6x12mm button-head, self-tapping (hex drive) (6) |
| 8167 | Screws, 2x10mm cap-head, self-tapping (hex drive) (10) |
| 2564 | Screws, 2x8mm cap-head machine (hex drive) (6) |
| 2577 | Screws, 3x10mm button-head machine (hex drive) (6) |
| 2578 | Screws, 3x12mm button-head machine (hex drive) (6) |
| 2579 | Screws, 3x15mm button-head machine (hex drive) (6) |
| 4830 | Screws, 3x20mm flat-head machine (hex drive) (6) |
| 2591 | Screws, 3x23mm button-head machine (hex drive) (6) |
| 2581 | Screws, 3x25mm button-head machine (hex drive) (6) |
| 2616 | Screws, 3x27mm button-head machine (hex drive) (6) |
| 2582 | Screws, 3x30mm button-head machine (hex drive) (6) |
| 2575 | Screws, 3x6mm button-head machine (hex drive) (6) |
| 3932 | Screws, 3x6mm flat-head machine (hex drive) (6) |
| 2576 | Screws, 3x8mm button-head machine (hex drive) (6) |
| 3931 | Screws, 3x8mm flat-head machine (hex drive) (6) |
| 3933 | Screws, 4x16mm button-head machine (hex drive) (6) |

LED Light Accessories

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8031 | 3-in-1 wire harness, LED light kit |
| 8089 | 4-in-2 wire harness, LED light kit |
| 6589 | Distribution block, LED light set |
| 6593 | Distribution block, Pro Scale® Advanced Lighting Control System |
| 9264 | LED light bar, assembled with wire harness (fits #9262 roll bar) |
| 8039 | LED light set (contains headlights, tail lights, side marker lights, & distribution block) (fits #8126 series bodies, requires #8028 power supply) |
| 8038 | LED light set, complete with power supply (contains headlights, tail lights, side marker lights, & distribution block) (fits #8126 series bodies) |
| 8028 | LED lights, power supply (regulated, 3V, 0.5-amp)/ 3-in-1 wire harness |
| 8026X | LED rock light kit, TRX-4®/TRX-6™ (requires #8028 power supply and #8018, #8072, or #8080 inner fenders) |
| 9263 | Light bar, chrome (housing & lens only) (fits #9262 or 9262X roll bar) |
| 6597 | Motor sense wire harness, Pro Scale® Advanced Lighting Control System |
| 6592 | Power module, Pro Scale® Advanced Lighting Control System (includes mount, communication cables, hardware) |
| 6591 | Pro Scale® Advanced Lighting Control System (includes power module & distribution block) |
| 8038X | Pro Scale® LED light set, TRX-4® Chevrolet Blazer or K10 Truck (1979), complete with power module (contains headlights, tail lights, side marker lights, & distribution block) (fits #8126 or 9212 series bodies) |
| 6594 | Receiver communication cable, Pro Scale® Advanced Lighting Control System |
| 9262X | Roll bar (assembled with LED lights)/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |
| 9262 | Roll bar/ mounts (front (2), rear (left & right))/ 2.6x12mm BCS (self-tapping) (4) (fits #9212 or 9230 series bodies) |

Long Arm Lift Kit

| | |
|----------|----------------------------------------------------------------------------------------------------------------------|
| 8162R | Body, GTS shock, long (aluminum, red-anodized) (1) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8162 | Body, GTS shock, long (silver aluminum) (1) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8147 | Cable, T-lock, medium (134mm) (for use with TRX-4® Long Arm Lift Kit) |
| 8148 | Cable, T-lock, x-long (173mm) (for use with TRX-4® Long Arm Lift Kit) |
| 9283 | Cable, T-lock, x-long (185mm) |
| 8140 | Long arm lift kit, TRX-4®, complete |
| 8140X | Long arm lift kit, TRX-4®, complete (includes blue powder coated links, blue-anodized shocks) |
| 8140-GRN | Long arm lift kit, TRX-4®, complete (includes green powder coated links, green-anodized shocks) |
| 8140R | Long arm lift kit, TRX-4®, complete (includes red powder coated links, red-anodized shocks) |
| 8149 | Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) |
| 8141 | Servo mount, steering (for use with TRX-4® Long Arm Lift Kit) |
| 8161 | Shock shaft, 3x57mm (GTS) (2) (includes bump stops) (for use with TRX-4® Long Arm Lift Kit) |
| 8160X | Shocks, GTS, aluminum (blue-anodized) (assembled without springs) (4) (for use with #8140X TRX-4® Long Arm Lift Kit) |

| | |
|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8160-GRN | Shocks, GTS, aluminum (green-anodized) (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8160R | Shocks, GTS, aluminum (red-anodized) (assembled without springs) (4) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8160 | Shocks, GTS, silver aluminum (assembled without springs) (4) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8153 | Springs, shock, long (natural finish) (GTS) (0.29 rate, white stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8154 | Springs, shock, long (natural finish) (GTS) (0.39 rate, orange stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8155 | Springs, shock, long (natural finish) (GTS) (0.47 rate) (included with TRX-4® Long Arm Lift Kit) |
| 8156 | Springs, shock, long (natural finish) (GTS) (0.54 rate, green stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8157 | Springs, shock, long (natural finish) (GTS) (0.62 rate, blue stripe) (for use with TRX-4® Long Arm Lift Kit) |
| 8146X | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8146R | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8144X | Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8144 | Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8143 | Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8145 | Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8145X | Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8145R | Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8142 | Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8142R | Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8184 | Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle) |
| 8181-BLUE | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 8181-GRN | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 8181-RED | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 8181 | Tires & wheels, assembled, glued (TRX-4® Sport 2.2" wheels, Canyon Trail 5.3x2.2" tires) (2) |
| 8170 | Tires, Canyon Trail 5.3x2.2"/ foam inserts (2) |
| 8171 | Wheels, 2.2", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately) |
| 8180-BLUE | Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2) |
| 8180-GRN | Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2) |
| 8180-RED | Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2) |

Motors & Electronics

| | |
|-------|----------------------------------------------------------------------------------------------------|
| 1926 | Antenna caps, vinyl (2)/ antenna spool |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) |
| 2262 | BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) |
| 2064A | Gear set (for 2065A waterproof sub-micro servo) |
| 2064R | Gear set, metal (for 2065R waterproof sub-micro servo) |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2252 | Gear set, metal (for 2250, 2255 servos) |
| 2272 | Gear set, metal (for 2270 waterproof servo) |
| 2287 | Gear set, metal (for 2280 servo) |
| 2072R | Gear set, metal, high-speed (for 2070, 2075 servos) |
| 8290A | Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized) |
| 8290R | Motor mount plate, 6061-T6 aluminum (red-anodized) |
| 3975R | Motor, Titan 550, reverse rotation (21-turns/ 14 volts) (1) |
| 8290 | Plate, motor/ upper spur gear cover |
| 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2271 | Servo case/ gaskets (for 2270 waterproof servo) |
| 2063A | Servo case/gaskets (for 2065A waterproof sub-micro servo) |
| 2063R | Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) |

Page 4 TRX-4® Chevrolet® K10 Truck: TQ™ 2.4GHz Radio (Model 92154-4) Parts List

| | | | |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------------------------------------------------------------------------------------------------------------------------|
| 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) | 2994 | Battery/charger completer pack (includes #2970 iD® charger (1), #2849X 4000mAh 11.1v 3-Cell 25C LiPo iD® battery (1)) |
| 5669 | Servo horn (with built-in spring and hardware) (for Summit locking differential) | 2970-3S | Battery/charger completer pack (includes #2970 iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (1)) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof | 2991 | Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2869X 7600mAh 7.4V 2-cell 25C LiPo iD® Battery (2)) |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) | 2990 | Battery/charger completer pack (includes #2972 Dual iD® charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2)) |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) | 2985-2S | Battery/charger completer pack (includes #2985 charger (1), #2827X 3000mAh 7.4V 2-cell 20C LiPo iD® Battery (1)) |
| 2280 | Servo, digital high-torque 600 brushless, metal gear (ball bearing), waterproof | 2985-3S | Battery/charger completer pack (includes #2985 charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (1)) |
| 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof | 2262 | BEC, complete (12.6 volts (3s LiPo) maximum input voltage) (includes receiver box cover and seals) |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof | 2969 | Charger, AC, 2 amp NiMH peak detecting (5-7 cell, 6.0-8.4 volt, NiMH only) |
| 2265 | Servo, sub-micro, high-torque, waterproof, metal gear | 2975 | Charger, D/C, 4 amp (6 - 7 cell, 7.2 - 8.4 volt, NiMH) |
| 2065A | Servo, sub-micro, waterproof | 2972 | Charger, EZ-Peak Live Dual, 100W, NiMH/ LiPo with ID Auto Battery Identification |
| 2065R | Servo, sub-micro, waterproof, metal gear | 2973 | Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification |
| 3025 | XL-5HV 3s Electronic Speed Control, waterproof (low-voltage detection, fwd/rev/brake) | 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification |
| 2261 | Y-harness, BEC | 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |

Pro Scale® Winch & Accessories

| | | | |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------------------------------------------------------------------------------------------------------------|
| 8867 | Bumper, front, winch, medium (includes bumper mount, D-Rings, fairlead, hardware) (fits TRX-4® 1979 Bronco and 1979 Blazer with 8855 winch) (217mm wide) | 2970 | Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification |
| 8859 | Fairlead, winch | 2981 | Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification |
| 8870X | Fairlead, winch, aluminum (blue-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224) | 2985 | Charger, EZ-Peak®, USB-C, 40W, NiMH/LiPo with iD® Auto Battery Identification |
| 8870A | Fairlead, winch, aluminum (gray-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224) | 2982 | Charger, USB-C, 40W (6 - 7 cell, 7.2 - 8.4 volt, NiMH) (with iD®) |
| 8870G | Fairlead, winch, aluminum (green-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224) | 6525 | Communication link, telemetry expander |
| 8870T | Fairlead, winch, aluminum (orange-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224) | 6512 | Cover plate, Traxxas® Link Bluetooth® module |
| 8870R | Fairlead, winch, aluminum (red-anodized) (use with front bumpers #8865, 8866, 8867, 8869, or 9224) | 6565 | Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier) |
| 8862 | Gearmotor, winch | 2971 | EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth® |
| 8863 | Hook, winch (steel)/ line retainer/ washer | 2978 | Fuse, D/C charger, 5A (2) (for #2974, 2975, 2977) |
| 8864X | Line, winch (blue) | 2064A | Gear set (for 2065A waterproof sub-micro servo) |
| 8864 | Line, winch (gray) | 2064R | Gear set, metal (for 2065R waterproof sub-micro servo) |
| 8864R | Line, winch (red) | 2072X | Gear set, metal (for 2070, 2075 servos) |
| 8860 | Spool shaft assembly, winch | 2252 | Gear set, metal (for 2250, 2255 servos) |
| 8861 | Spool, winch | 2272 | Gear set, metal (for 2270 waterproof servo) |
| 8855 | Winch kit with wireless controller, TRX-4® and TRX-6® | 2072R | Gear set, metal, high-speed (for 2070, 2075 servos) |
| 8856 | Winch, TRX-4® and TRX-6® (requires #8857 wireless remote) | 2968X | LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries) |
| 8857 | Wireless remote, winch, TRX-4® and TRX-6® | 2968 | LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries) |

Radio System, Batteries & Chargers

| | | | |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2823X | 1400mah 11.1v 3-Cell 25C LiPo Battery | 6561 | Mount, telemetry expander |
| 2820X | 2200mah 7.4v 2-Cell 25C LiPo Battery | 6535 | Mount, temperature sensor (electric motors)/ wire tie/ thermal pad |
| 2922X | 3000mAh 7.2V 6-cell flat NiMH Battery, Power Cell | 2912 | Power adapter, AC, USB-C (45W) (110 volt, North America only) |
| 2827X | 3000mah 7.4v 2-Cell LiPo Battery | 2916 | Power cable, USB-C, 100W (high output), 5 ft. (1.5m) |
| 2923X | 3000mAh 8.4V 7-cell flat NiMH Battery, Power Cell | 6519 | Receiver, micro, TQ 2.4GHz (3-channel) |
| 2942X | 3300mAh 7.2V 6-cell flat NiMH Battery, Series 3 Power Cell | 6533X | Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel) |
| 2940X | 3300mAh 8.4V 7-cell flat NiMH Battery, Series 3 Power Cell | 6552 | Seal kit, expander box (includes o-ring, seals, and silicone grease) |
| 2849X | 4000mah 11.1v 3-Cell 25C LiPo Battery | 6521 | Sensor, temperature and voltage (long) |
| 2952X | 4200mAh 7.2V 6-cell flat NiMH Battery, Series 4 Power Cell | 2254 | Servo case, aluminum (middle) (blue-anodized) (for 2250 servo) |
| 2950X | 4200mAh 8.4V 7-cell flat NiMH Battery, Series 4 Power Cell | 2253 | Servo case, aluminum (middle) (red-anodized) (for 2255 servo) |
| 2872X | 5000mah 11.1v 3-Cell 25C LiPo Battery | 2251 | Servo case, plastic (top, middle, bottom)/ gaskets/ hardware (for 2250, 2255 servos) |
| 2842X | 5000mah 7.4v 2-Cell 25C LiPo Battery | 2271 | Servo case/ gaskets (for 2270 waterproof servo) |
| 2960X | 5000mAh 8.4V 7-cell flat NiMH Battery, Series 5 Power Cell | 2063A | Servo case/gaskets (for 2065A waterproof sub-micro servo) |
| 2844R | 5200mAh 7.4v 2-cell 35C LiPo Battery | 2063R | Servo case/gaskets (for 2065R metal gear, waterproof, sub-micro servo) |
| 2843X | 5800mah 7.4v 2-Cell 25C LiPo Battery | 2063X | Servo case/gaskets (for 2065X metal gear, waterproof, sub-micro servo) |
| 2869X | 7600mah 7.4v 2-Cell 25C LiPo Battery | 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2976 | AC to DC adapter | 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 2938X | Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports) | 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof (#2262 external BEC and #8247X metal servo horn recommended for optimal performance) |
| 1726 | Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1) | 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 2943 | Battery charge indicators, green (4), grey (4), blue (4) | 2270 | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 6548 | Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter) | 2265 | Servo, sub-micro, high-torque, waterproof, metal gear |
| 8222 | Battery strap (for use with 2200mAh 2-cell and 1400mAh 3-cell LiPo batteries) | 2065A | Servo, sub-micro, waterproof |
| 2914 | Battery, Power Cell AA Alkaline (4) | 2065R | Servo, sub-micro, waterproof, metal gear |
| 2983 | Battery/charger completer pack (includes #2969 2-amp NiMH peak detecting AC charger (1), #2923X 3000mAh 8.4V 7-cell NiMH iD® battery (1)) | 6553X | Telemetry Expander 2.0 and GPS module 2.0, TQi radio system |
| 2992 | Battery/charger completer pack (includes #2970 iD® charger (1), #2843X 5800mAh 7.4V 2-cell 25C LiPo iD® Battery (1)) | 6550X | Telemetry Expander 2.0, TQi radio system (for use only with #6551X GPS module) |
| 2970-2SR | Battery/charger completer pack (includes #2970 iD® charger (1), #2844R 5200mAh 7.4V 2-cell 35C LiPo iD® Battery (1)) | | |

Page 5 TRX-4® Chevrolet® K10 Truck: TQ™ 2.4GHz Radio (Model 92154-4) Parts List

| | |
|-------|------------------------------------------------------------------------------------------------------------------------------------|
| 6551X | Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander) |
| 6509A | TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver) |
| 6507A | TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver) |
| 6516 | Transmitter, TQ 2.4GHz, 2-channel (transmitter only) |
| 6517 | Transmitter, TQ 2.4GHz, 3-channel (transmitter only) |
| 6530X | Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only) |
| 6511 | Traxxas® Link Bluetooth® module |
| 2261 | Y-harness, BEC |

Ready-To-Race Model

| | |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------|
| 92156-4 | TRX-4® Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 4WD Electric Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System |
| 92154-4 | TRX-4® Scale and Trail® Crawler with 1979 Chevrolet® K10 Truck Body: 4WD Electric Truck with TQ™ 2.4GHz Radio System |

Shock Oil

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------|
| 5031 | Oil, shock (20 wt, 200 cSt, 60cc) (silicone) |
| 5032 | Oil, shock (30 wt, 350 cSt, 60cc) (silicone) |
| 5033 | Oil, shock (40 wt, 500 cSt, 60cc) (silicone) |
| 5034 | Oil, shock (50 wt, 600 cSt, 60cc) (silicone) |
| 5035 | Oil, shock (60 wt, 700 cSt, 60cc) (silicone) |
| 5036 | Oil, shock (70 wt, 900 cSt, 60cc) (silicone) |
| 5037 | Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone) |
| 5029 | Shock oil bottle (60cc) (for mixing shock oil) |
| 5038X | Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack) |
| 5038 | Spinning carousel rack |

Shocks (GTS)

| | |
|-------|-------------------------------------------------------------------------------------------------------------------------------|
| 8264 | Caps & spring retainers, GTS shocks (upper cap (2)/ hollow balls (4)/ bottom cap (2)/ upper retainer (2)/ lower retainer (2)) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5475 | Multi-tool (plastic) |
| 8261 | Piston, damper (red) (4)/ e-clips (8) |
| 8262 | Rebuild kit, TRX-4® shocks (x-rings, o-rings, pistons, bushings, e clips, rod ends, and travel limiters) |
| 8263 | Shock shaft, 3x47mm (GTS) (2) |
| 8263T | Shock shaft, 3x47mm (GTS) (titanium nitride-coated) (2) |
| 8260X | Shocks, GTS hard-anodized, PTFE-coated aluminum bodies with TiN shafts (assembled with spring retainers) (2) |
| 8260A | Shocks, GTS, blue-anodized (assembled with spring retainers) (2) |
| 8260G | Shocks, GTS, green-anodized (assembled with spring retainers) (2) |
| 8260R | Shocks, GTS, red-anodized (assembled with spring retainers) (2) |
| 8260 | Shocks, GTS, silver aluminum (assembled with spring retainers) (2) |

Slipper Clutch Components

| | |
|------|-----------------------------------------------------------------------------------------------------|
| 8292 | Input shaft/ output shaft (transmission) |
| 8286 | Output shafts (transfer case), front & rear |
| 8254 | Rebuild kit, slipper clutch (steel disc (2)/ friction insert (2)/ 4.0mm NL (1)/ spring washers (2)) |
| 8249 | Slipper eliminator plate |

Springs

| | |
|------|----------------------------------------------------------------------|
| 8041 | Springs, shock (GTS) (front) (0.45 rate) (2) |
| 8040 | Springs, shock (GTS) (rear) (0.54 rate) (2) |
| 8042 | Springs, shock (natural finish) (GTS) (0.22 rate, yellow stripe) (2) |
| 8043 | Springs, shock (natural finish) (GTS) (0.30 rate, white stripe) (2) |
| 8044 | Springs, shock (natural finish) (GTS) (0.39 rate, orange stripe) (2) |
| 8045 | Springs, shock (natural finish) (GTS) (0.61 rate, blue stripe) (2) |

Spur Gears & Pinion Gears

| | |
|-------|---------------------------------------------------------------------------------------------|
| 6746 | Gear, 10-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 6747 | Gear, 11-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 3942X | Gear, 12-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3919 | Gear, 12-T pinion (32-pitch)/ set screw |
| 3943X | Gear, 13-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3944X | Gear, 14-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3945X | Gear, 15-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3917 | Gear, 15-T pinion (32-pitch) (fits 3mm shaft)/ set screw |
| 3946X | Gear, 16-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3947X | Gear, 17-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |

| | |
|-------|---------------------------------------------------------------------------------------------|
| 3948X | Gear, 18-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3949X | Gear, 19-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3950X | Gear, 20-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3951X | Gear, 21-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 3952X | Gear, 22-T pinion (32-p), heavy duty (machined, hardened steel) (fits 3mm shaft)/ set screw |
| 6745 | Gear, 9-T pinion (32-p) (steel) (fits 3mm shaft)/ set screw |
| 8052 | Spur gear, 39-tooth (32-pitch) |
| 8053 | Spur gear, 45-tooth (32-pitch) |

Steering Components

| | |
|-------|-----------------------------------------------------------------------------------------------------------------|
| 8232 | Caster blocks (portal drive), left & right |
| 8232X | Caster blocks, 6061-T6 aluminum (blue-anodized), left and right |
| 8232A | Caster blocks, 6061-T6 aluminum (charcoal gray-anodized), left and right |
| 2072X | Gear set, metal (for 2070, 2075 servos) |
| 2072R | Gear set, metal, high-speed (for 2070, 2075 servos) |
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 8247X | Servo horn, steering, metal/ 3x14 BCS (1) |
| 2075R | Servo, digital high-speed, metal gear (ball bearing), waterproof |
| 2250 | Servo, digital high-torque 330 coreless, metal gear (ball bearing), waterproof |
| 2255 | Servo, digital high-torque 400 brushless, metal gear (ball bearing), waterproof |
| 2075X | Servo, digital high-torque, metal gear (ball bearing), waterproof |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 8246 | Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) |
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |

Suspension Linkage

| | |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8274 | Hollow ball set, complete, TRX-4® (aluminum, PTFE-coated) |
| 5355 | Hollow ball, tall centered (2)/ tall offset hollow ball (2)/ bump steer adjustment shims; 3.5mm (2), 1.17mm (2) |
| 8275 | Rod end set, complete (standard (10), angled 10-degrees (8), offset (4)) |
| 8276 | Rod ends (10) |
| 8277 | Rod ends, angled 10-degrees (8) |
| 8149 | Rod ends, extended (standard (4), angled (4))/ hollow balls (8) (for use with TRX-4® Long Arm Lift Kit) |
| 2742 | Rod ends, long (6)/ hollow ball connectors (6) |
| 8278 | Rod ends, offset (4) |
| 5529 | Shim set, 3x7x1mm (2), 3x6x0.5mm (4), 3x7x2mm (2)/ hollow balls, captured (4) |
| 8146X | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8146R | Steering link, 5x117mm (1)/ drag link, 5x60mm (1)/ panhard link, 5x63mm (red powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |
| 8246 | Steering link, 5x60mm (1)/ draglink, 5x117mm (1) (steel) |
| 8144X | Suspension link, front upper, 5x68mm (1) (blue powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8144 | Suspension link, front upper, 5x68mm (1) (steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8243 | Suspension link, front, 5x100mm (lower) (steel) (2) |
| 8244 | Suspension link, front, 5x63mm (upper) (steel) (2) |
| 8245 | Suspension link, rear, 5x121mm (upper or lower) (steel) (2) |
| 8143 | Suspension links, front lower (2) (5x104mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8145 | Suspension links, rear lower (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit) |
| 8145X | Suspension links, rear lower, blue (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140X TRX-4® Long Arm Lift Kit) |
| 8145R | Suspension links, rear lower, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit) |

Page 6 TRX-4® Chevrolet® K10 Truck: TQ™ 2.4GHz Radio (Model 92154-4) Parts List

- 8142 Suspension links, rear upper (2) (5x115mm, steel) (assembled with hollow balls) (for use with #8140 TRX-4® Long Arm Lift Kit)
- 8142R Suspension links, rear upper, red (2) (5x115mm, powder coated steel) (assembled with hollow balls) (for use with #8140R TRX-4® Long Arm Lift Kit)

Team Traxxas Items

- 9916 Backpack, RC car carrier, 12" x 12" x 24" (fits TRX-4 & similar)
- 2514 Decal sheet, racing sponsors
- 9917 Duffel bag, medium, 30" x 12" x 12" (fits 1/10 Slash®, TRX-4®, & similar)
- 9950 Official Team Traxxas® racing decal set(flag logo/ 6-color)
- 9909 Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

- 8169T Beadlock rings, black (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168T Beadlock rings, black (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169X Beadlock rings, blue (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168X Beadlock rings, blue (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8168G Beadlock rings, green (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169R Beadlock rings, red (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8168R Beadlock rings, red (2.2") (aluminum) (4)/ 2x10 CS (48)
- 8169 Beadlock rings, satin (1.9") (aluminum) (4)/ 2x10 CS (48)
- 8164 Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
- 8176 Center caps, wheel (chrome) (4)/ decal sheet (requires #8255A extended thread stub axle)
- 1747P Nuts, 4mm flanged nylon locking (aluminum, pink anodized) (4)
- 1747R Nuts, aluminum, flanged, serrated (4mm) (blue-anodized) (4)
- 1747G Nuts, aluminum, flanged, serrated (4mm) (green-anodized) (4)
- 1747T Nuts, aluminum, flanged, serrated (4mm) (orange-anodized) (4)
- 1747A Nuts, aluminum, flanged, serrated (4mm) (red-anodized) (4)
- 8182 Tires & wheels, assembled (Method Race Wheels® 105 Beadlock 1.9" satin black chrome, blue beadlock style wheels, Canyon Trail 4.6x1.9" tires, foam inserts) (1 left, 1 right)
- 8166 Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
- 8177 Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)
- 8166X Tires & wheels, assembled, glued (1.9" chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
- 8183X Tires & wheels, assembled, glued (1.9" classic chrome wheels, Canyon Trail 4.6x1.9" tires) (4)/ center caps (4)/ decal sheet (requires #8255A extended thread stub axle)
- 8184 Tires & wheels, assembled, glued (2.2" classic chrome wheels, Canyon Trail 5.3x2.2" tires, foam inserts) (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle)
- 8273 Tires & wheels, assembled, glued (Tactical 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
- 8272X Tires & wheels, assembled, glued (TRX-4® 1.9" satin beadlock wheels, Canyon Trail 4.6x1.9" tires) (2)
- 8272 Tires & wheels, assembled, glued (TRX-4® 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
- 8179 Tires & wheels, assembled, glued (TRX-4® Sport 1.9" wheels, Canyon Trail 4.6x1.9" tires) (2)
- 8181-BLUE Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, blue beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
- 8181-GRN Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, green beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
- 8181-RED Tires & wheels, assembled, glued (TRX-4® Sport 2.2" gray, red beadlock style wheels, Canyon Trail 5.3x2.2" tires) (2)
- 8181 Tires and wheels, assembled, glued (TRX-4® Sport 2.2™ wheels, Canyon Trail 5.3x2.2™ tires) (2) (for use with TRX-4 Long Arm Lift Kit)
- 8270 Tires, Canyon Trail 4.6x1.9" (S1 compound)/ foam inserts (2)
- 8170 Tires, Canyon Trail 5.3x2.2™/ foam inserts (2) (for use with TRX-4 Long-Arm Lift Kit)
- 8269 Wheel hubs, 12mm hex (2)/ stub axle pins (2) (steel)
- 8269X Wheel hubs, 12mm hex, 6061-T6 aluminum (blue-anodized) (4)/ 3x10 screw pin (4)
- 8269A Wheel hubs, 12mm hex, 6061-T6 aluminum (charcoal gray-anodized) (4)/ 3x10 screw pin (4)
- 8269G Wheel hubs, 12mm hex, 6061-T6 aluminum (green-anodized) (4)/ 3x10 screw pin (4)
- 8269R Wheel hubs, 12mm hex, 6061-T6 aluminum (red-anodized) (4)/ 3x10 screw pin (4)
- 8165 Wheels, 1.9", chrome (2)/ center caps (2)/ decal sheet (requires #8255A extended thread stub axle)

- 8173 Wheels, 1.9", Method Race Wheels® 105 Beadlock (black chrome, beadlock) (beadlock rings sold separately)
- 8173A Wheels, 1.9", Method Race Wheels® 105 Beadlock (charcoal gray, beadlock) (beadlock rings sold separately)
- 8163 Wheels, 2.2", classic chrome (2)/ center caps (front (2), rear (2)) (requires #8255A extended thread stub axle)
- 8171 Wheels, Method 105 2.2" (black chrome, beadlock) (beadlock rings sold separately) (for use with TRX-4 Long Arm Lift Kit)
- 8271X Wheels, TRX-4® 1.9 (satin beadlock) (2)
- 8180-BLUE Wheels, TRX-4® Sport 2.2 (gray, blue beadlock style) (2)
- 8180-GRN Wheels, TRX-4® Sport 2.2 (gray, green beadlock style) (2)
- 8180-RED Wheels, TRX-4® Sport 2.2 (gray, red beadlock style) (2)
- 8268 Wheels, TRX-4® Tactical 1.9 (2)

Transmission Components

- 8283 Cable, T-lock, short (124mm)
- 9283 Cable, T-lock, x-long (185mm)
- 8195 Differential, locking, front and rear (assembled) (includes T-LOCK cables and servos)
- 8289 Drive hub, 2-speed/ shift dog/ shift fork/ 2-speed linkage
- 8293X Gear set, transmission, metal (includes 18T, 30T input gears, 36T output gear, 2x9.8 pins (5))
- 8291 Gearbox housing (includes main housing, front housing, & cover)
- 8285 Gears, transfer case (3)
- 5041 Grease, premium high performance (20cc)
- 8292 Input shaft/ output shaft (transmission)
- 8290A Motor mount plate, 6061-T6 aluminum (charcoal gray-anodized)
- 8290R Motor mount plate, 6061-T6 aluminum (red-anodized)
- 8295 Output drive, transmission or differential (pin retainer (1) drive cup (1)/ drive ball (1)/ drive pin (1)/ 3x10 screw pin (1)/ cross pin (black) (1) 3x6 BCS with threadlock (1))
- 8294 Output gear, high range, 24T (metal)
- 8286 Output shafts (transfer case), front & rear
- 8290 Plate, motor/ upper spur gear cover
- 8249 Slipper eliminator plate
- 8296 Transmission gears, single speed, metal
- 8196 Two speed conversion kit

Traxxas Tools

- 3433X Body reamer (aluminum handle)
- 3433 Body reamer (plastic handle)
- 3436 Cap, body reamer
- 3425 Rubber pit mat, 16x24x0.28
- 3426 Rubber pit mat, 36x20
- 3432 Scissors, curved tip
- 3431 Scissors, straight tip
- 8712 Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
- 8720 Speed bit handle, large (overmolded)
- 8721 Speed bit handle, medium (one piece)
- 8722 Speed bit handle, premium (rubber overmold)
- 8710 Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8711 Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8719 Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
- 8716 Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
- 8716X Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
- 8715 Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
- 8715X Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
- 8714 Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
- 2748R Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
- 3415 Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)

TRX-4® Traxx®

| | |
|------|---------------------------------------------------------------------------------------------------------------------|
| 8889 | Bearing retainers, inner (2)/ outer (2) |
| 8885 | Shock mounts (frame, left (2), frame, right (2))/ portal mounts (1 each, front (left & right), rear (left & right)) |
| 8888 | Spring (4) |
| 8887 | Stub axle (1) |
| 8886 | Stub axle nut (4) |
| 8891 | Tension wheels (6)/ road wheels (4) |
| 8881 | Traxx®, front, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) |
| 8882 | Traxx®, front, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8895 rubber track) |
| 8883 | Traxx®, rear, left (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) |
| 8884 | Traxx®, rear, right (assembled) (requires #8887 stub axle, #7061 GTR shock, & #8896 rubber track) |
| 8880 | Traxx®, TRX-4® (4) (complete set, front & rear) |

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000,
or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM